

**Freeway®  
ICP6000R/ICP6000X  
Hardware Description**

DC 900-1020E

---

Simpact, Inc.  
9210 Sky Park Court  
San Diego, CA 92123  
October 1999

***SIMPACT***


Simpact, Inc.  
9210 Sky Park Court  
San Diego, CA 92123  
(858) 565-1865

Freeway ICP6000R/ICP6000X Hardware Description  
© 1993–1999 Simpact, Inc. All rights reserved  
Printed in the United States of America

This document can change without notice. Simpact, Inc. accepts no liability for any errors this document might contain.

Freeway is a registered trademark of Simpact, Inc.  
All other trademarks and trade names are the properties of their respective holders.

---



# Contents

<b>List of Figures</b>	<b>9</b>
<b>List of Tables</b>	<b>11</b>
<b>Preface</b>	<b>13</b>
<b>1 Overview of the ICP</b>	<b>19</b>
1.1 Purpose of the ICP . . . . .	19
1.2 ICP Applications. . . . .	19
<b>2 Unpacking and Configuration</b>	<b>23</b>
2.1 Antistatic Precautions . . . . .	23
2.2 Unpacking the ICP . . . . .	24
2.3 Initial Inspection . . . . .	24
2.4 Jumper and Switch Options. . . . .	25
2.5 Software Programmable Configuration Options . . . . .	25
<b>3 VMEbus Installation</b>	<b>27</b>
3.1 EEPROM Access . . . . .	31
<b>4 Hardware Specifications</b>	<b>35</b>
4.1 Mechanical and Environmental Specifications. . . . .	35
4.1.1 Physical Characteristics . . . . .	35
4.1.2 Power Requirements . . . . .	35
4.1.3 Environment . . . . .	36
4.2 Device Specifications . . . . .	36

<b>5</b>	<b>Hardware Overview</b>	<b>39</b>
5.1	Internal Architecture . . . . .	39
5.2	Microprocessor . . . . .	39
5.3	Main Memory . . . . .	45
5.4	PROM . . . . .	45
5.5	Timers . . . . .	48
5.6	Console Port . . . . .	48
5.7	Communications Devices . . . . .	48
5.7.1	Register Access . . . . .	49
5.7.2	SCC Interrupts . . . . .	49
5.8	Peripheral Device DMA Controller . . . . .	50
5.8.1	MAR/TCR Memory Locations . . . . .	51
5.8.2	DMA Terminal Count Interrupts . . . . .	51
5.8.3	I/O DMA Command Register . . . . .	52
5.9	VMEbus Slave Interface . . . . .	52
5.9.1	VMEbus Slave Address Decoder . . . . .	54
5.9.2	VMEbus Mailboxes and Software Reset . . . . .	54
5.9.3	Mailbox Slave Address Decoder . . . . .	55
5.9.4	Configuring the Mailbox Interrupts . . . . .	56
5.9.5	Software Reset . . . . .	56
5.10	VMEbus Interrupter . . . . .	56
5.11	VMEbus Master Interface . . . . .	57
5.12	Operating Controls and Indicators . . . . .	60
5.12.1	Fault Indicator . . . . .	60
5.12.2	I/O DMA Indicator . . . . .	60
5.12.3	VME Access Indicator . . . . .	60
5.13	Serial EEPROM Operation . . . . .	60
5.14	Board Select Switches . . . . .	64
<b>6</b>	<b>Diagnostics</b>	<b>65</b>
6.1	Tests Performed . . . . .	65
6.1.1	ROM Checksum . . . . .	65
6.1.2	Dynamic RAM (DRAM) . . . . .	65
6.1.3	68901 Multi-function Peripheral (MFP) . . . . .	66
6.1.4	VMEbus Slave Interface (VSI) . . . . .	66
6.1.5	EEPROM . . . . .	66

6.1.6	DMA Controller . . . . .	67
<b>7</b>	<b>Boot Load Procedure</b>	<b>69</b>
7.1	Download Message Format . . . . .	69
7.2	Download Procedure . . . . .	70
<b>A</b>	<b>16-port EIA-232 Electrical Interface Module</b>	<b>75</b>
A.1	Modem Clocks. . . . .	75
A.1.1	Receive Clock Inputs . . . . .	75
A.1.2	Transmit Clock Inputs/Outputs . . . . .	75
A.2	Z85C30 or Z85230 Serial Communications Controller . . . . .	78
A.2.1	SCC Register Access . . . . .	78
A.2.2	SCC Timebase . . . . .	78
A.2.3	SCC DMA. . . . .	78
A.3	Modem Control . . . . .	78
A.3.1	Data Set Ready . . . . .	78
A.3.2	Clear To Send . . . . .	79
A.3.3	Data Carrier Detect. . . . .	79
A.3.4	Data Terminal Ready . . . . .	79
A.3.5	Request To Send . . . . .	79
A.4	Connector Pin Assignments . . . . .	80
<b>B</b>	<b>8-port MIL-STD-188C and 8-port EIA-232 Electrical Interface Module</b>	<b>85</b>
B.1	Modem Clocks. . . . .	85
B.1.1	Receive Clock Inputs . . . . .	85
B.1.2	Transmit Clock Inputs and Outputs. . . . .	85
B.2	Z85C30 or Z85230 Serial Communications Controller . . . . .	86
B.2.1	SCC Register Access . . . . .	86
B.2.2	SCC Timebase . . . . .	88
B.2.3	SCC DMA. . . . .	88
B.3	Transmit/Receive Polarity . . . . .	88
B.4	Driver Supply Voltages . . . . .	88
B.5	Interface Driver Waveshaping. . . . .	88
B.6	Interface Receiver Response Control . . . . .	91
B.7	Modem Control . . . . .	91
B.7.1	Data Set Ready . . . . .	91

B.7.2	Clear To Send . . . . .	91
B.7.3	Data Carrier Detect . . . . .	91
B.7.4	Data Terminal Ready . . . . .	93
B.7.5	Request To Send. . . . .	93
B.8	Connector Pin Assignments . . . . .	94
<b>C</b>	<b>8-port V.35 CCITT Electrical Interface Module</b>	<b>97</b>
C.1	Modem Clocks . . . . .	97
C.1.1	Receive Clock Inputs . . . . .	97
C.1.2	Transmit Clock Inputs and Outputs . . . . .	97
C.2	Z85C30 or Z85230 Serial Communications Controller . . . . .	98
C.2.1	SCC Register Access . . . . .	98
C.2.2	SCC Timebase . . . . .	100
C.2.3	SCC DMA . . . . .	100
C.3	Driver Supply Voltages . . . . .	100
C.4	Single-ended Interface . . . . .	100
C.5	Differential Interface . . . . .	100
C.6	Modem Control . . . . .	100
C.6.1	Data Set Ready and Calling Indicator . . . . .	101
C.6.2	Clear To Send . . . . .	101
C.6.3	Received Line Signal Detector . . . . .	101
C.6.4	Data Terminal Ready and Local Test . . . . .	102
C.6.5	Request To Send. . . . .	102
C.7	Connector Pin Assignments . . . . .	102
<b>D</b>	<b>8-port EIA-422 Electrical Interface Module</b>	<b>107</b>
D.1	Modem Clocks . . . . .	107
D.1.1	Receive Clock Inputs . . . . .	107
D.1.2	Transmit Clock Inputs/Outputs . . . . .	107
D.2	Z85C30 or Z85230 Serial Communications Controller . . . . .	108
D.2.1	SCC Register Access . . . . .	108
D.2.2	SCC Timebase . . . . .	110
D.2.3	SCC DMA . . . . .	110
D.3	Modem Control . . . . .	110
D.3.1	Clear To Send . . . . .	110
D.3.2	Receiver Ready . . . . .	110

D.3.3	Terminal Ready . . . . .	110
D.3.4	Request To Send . . . . .	111
D.4	Connector Pin Assignments . . . . .	111
<b>E</b>	<b>Configuration Options</b>	<b>117</b>
E.1	Software Configuration Options . . . . .	117
E.2	Jumper Configuration Options . . . . .	119
E.2.1	Socket U7 Jumper Configuration . . . . .	119
E.2.2	Socket U8 Jumper Configuration . . . . .	121
E.2.3	PROM/ROM/EEPROM/SRAM Socket Memory Map Options . . . . .	123
E.2.4	Interrupt Priority Setting. . . . .	124
E.2.5	Front Panel Reset and Abort Input Enable Jumpers . . . . .	124
E.2.6	Factory Configurations. . . . .	125
	<b>Index</b>	<b>127</b>



---

# List of Figures

Figure 3–1:	Front View of Freeway 4000 . . . . .	28
Figure 3–2:	ICP6000R/ICP6000X Switch and Jumper Settings . . . . .	29
Figure 5–1:	ICP6000R/ICP6000X Block Diagram . . . . .	40
Figure 5–2:	General Control Register 0 Use for DMA . . . . .	52
Figure 5–3:	I/O DMA Command Register . . . . .	53
Figure 5–4:	Status Register Use for DMA . . . . .	54
Figure 5–5:	General Control Register 0 Use for VMEbus . . . . .	58
Figure 5–6:	General Control Register 1. . . . .	59
Figure 5–7:	ICP Front Panel Showing Location of LEDs . . . . .	61
Figure 5–8:	General Control Register 0 Use for FAULT LED . . . . .	62
Figure 5–9:	General Control Register 0 Use for EEPROM Operation . . . . .	62
Figure 5–10:	Status Register Use for EEPROM Operation . . . . .	63
Figure 5–11:	Status Register Use for Board Select Switches. . . . .	64
Figure 7–1:	Typical Download Sequence. . . . .	73
Figure A–1:	16-port EIA-232 Clock Jumper Settings . . . . .	77
Figure A–2:	Data Set Ready Address Decodes . . . . .	79
Figure A–3:	Data Terminal Ready Address Decodes . . . . .	80
Figure A–4:	Front View of 80-pin Connector on the ICP . . . . .	80
Figure A–5:	EIA-232 Interface. . . . .	81
Figure B–1:	8-port MIL-STD-188C or EIA-232 Clock Jumper Settings . . . . .	87
Figure B–2:	Data Set Ready Address Decodes . . . . .	93
Figure B–3:	Data Terminal Ready Address Decode. . . . .	93
Figure B–4:	EIA-232 or MIL-STD-188C Interface . . . . .	94
Figure C–1:	8-port V.35 Clock Jumper Settings . . . . .	99
Figure C–2:	Data Set Ready and Calling Indicator Address Decodes . . . . .	101

Figure C-3: Data Terminal Ready and Local Test Address Decodes . . . . .	102
Figure C-4: V.35 Interface . . . . .	103
Figure D-1: 8-port EIA-422 Clock Jumper Settings . . . . .	109
Figure D-2: Terminal Ready Address Decode . . . . .	111
Figure D-3: EIA-449 Interface . . . . .	112
Figure D-4: EIA-530 Interface . . . . .	113


---

# List of Tables

Table 1–1:	ICP Hardware Features . . . . .	20
Table 3–1:	VMEbus Settings . . . . .	30
Table 3–2:	EEPROM Default Values. . . . .	33
Table 3–3:	Example of PTBUG “EE” Command . . . . .	34
Table 3–4:	Boot Flags. . . . .	34
Table 4–1:	Specifications for ICP Devices. . . . .	37
Table 5–1:	General Memory Map . . . . .	41
Table 5–2:	General Interrupt Map. . . . .	45
Table 5-3:	U19 (ICP6000R)Configuration . . . . .	46
Table 5-4:	U8 (ICP6000X)Configuration. . . . .	47
Table 5–5:	Console Port Pin Assignments. . . . .	49
Table 5–6:	MFP DDR Programming . . . . .	50
Table 7–1:	Protocol Exchange Region . . . . .	69
Table 7–2:	Protocol Exchange Region for Download Ready Command. . . . .	71
Table A–1:	Clock Jumper Settings for 16-port EIA-232. . . . .	76
Table A-2:	Pin Assignments for 16-port EIA-232 Cable Connectors . . . . .	82
Table B–1:	Clock Jumper Settings for 8-port MIL-STD-188C or EIA-232 . . . . .	86
Table B–2:	Jumper Settings for 8-port MIL-STD-188C . . . . .	89
Table B–3:	Capacitor Locations for Waveshaping. . . . .	90
Table B–4:	Capacitor Locations for Response Control . . . . .	92
Table B–5:	Pin Assignments for 8-port MIL-STD-188C and EIA-232 Cable Connectors	95
Table C–1:	Clock Jumper Settings for 8-port V.35 . . . . .	98
Table C–2:	Pin Assignments for 8-port V.35 Cable Connectors . . . . .	104
Table D–1:	Clock Jumper Settings for 8-port EIA-422 . . . . .	108
Table D–2:	Pin Assignments for 8-port EIA-422 Cable Connectors . . . . .	114

Table E-1:	Automatic Programmable Configuration Process. . . . .	118
Table E-2:	U7 Jumper Settings . . . . .	120
Table E-3:	U8 Jumper Settings . . . . .	122
Table E-4:	U7 and U8 Jumper Settings . . . . .	123
Table E-5:	K15 Interrupt Jumper Settings . . . . .	124
Table E-6:	Front Panel Reset and Abort Jumper Settings . . . . .	124
Table E-7:	K4, K16, and K17 Jumper Settings . . . . .	125

---



# Preface

## Purpose of Document

This manual describes Simpact's ICP6000R/ICP6000X front-end communications processor, its architecture, and how it works in the Freeway system. The information in this manual supplements the basic information that appears in the *Freeway 2000/4000 Hardware Installation Guide* and *Freeway 8800 Hardware Installation Guide*.

## Intended Audience

This manual should be read by maintenance technicians, computer system integrators, and software developers who need detailed information about the features of the ICP hardware.

## Organization of Document

[Chapter 1](#) is a functional overview of the ICP.

[Chapter 2](#) describes how to unpack and configure the ICP.

[Chapter 3](#) describes how to install the ICP.

[Chapter 4](#) defines the mechanical and environmental specifications.

[Chapter 5](#) describes the hardware.

[Chapter 6](#) describes the hardware self-test diagnostics.

[Chapter 7](#) describes the boot load procedure.

[Appendix A](#) describes the daughterboard that provides the 16-port EIA-232 electrical interface.

[Appendix B](#) describes the daughterboard that provides the 8-port MIL-STD-188C and EIA-232 electrical interfaces.

[Appendix C](#) describes the daughterboard that provides the 8-port V.35 CCITT electrical interface.

[Appendix D](#) describes the daughterboard that provides the 8-port EIA-422 electrical interface.

[Appendix E](#) describes the software-programmable and jumper configuration options.

## Simpect References

The following general product documentation list is to familiarize you with the available Simpect Freeway and embedded ICP products. The applicable product-specific reference documents are mentioned throughout each document (also refer to the “readme” file shipped with each product). Most documents are available on-line at Simpect’s web site, [www.simpect.com](http://www.simpect.com).

### General Product Overviews

- *Freeway 1100 Technical Overview* 25-000-0419
- *Freeway 2000/4000/8800 Technical Overview* 25-000-0374
- *ICP2432 Technical Overview* 25-000-0420
- *ICP6000X Technical Overview* 25-000-0522

### Hardware Support

- *Freeway 1100/1150 Hardware Installation Guide* DC-900-1370
- *Freeway 1200/1300 Hardware Installation Guide* DC-900-1537
- *Freeway 2000/4000 Hardware Installation Guide* DC-900-1331

- 
- *Freeway 8800 Hardware Installation Guide* DC-900-1553
  - *Freeway ICP6000R/ICP6000X Hardware Description* DC-900-1020
  - *ICP6000(X)/ICP9000(X) Hardware Description and Theory of Operation* DC-900-0408
  - *ICP2424 Hardware Description and Theory of Operation* DC-900-1328
  - *ICP2432 Hardware Description and Theory of Operation* DC-900-1501
  - *ICP2432 Hardware Installation Guide* DC-900-1502
- Freeway Software Installation and Configuration Support**
- *Freeway Message Switch User Guide* DC-900-1588
  - *Freeway Release Addendum: Client Platforms* DC-900-1555
  - *Freeway User Guide* DC-900-1333
  - *Loopback Test Procedures* DC-900-1533
- Embedded ICP Installation and Programming Support**
- *ICP2432 User Guide for Digital UNIX* DC-900-1513
  - *ICP2432 User Guide for OpenVMS Alpha* DC-900-1511
  - *ICP2432 User Guide for OpenVMS Alpha (DLITE Interface)* DC-900-1516
  - *ICP2432 User Guide for Solaris STREAMS* DC-900-1512
  - *ICP2432 User Guide for Windows NT* DC-900-1510
  - *ICP2432 User Guide for Windows NT (DLITE Interface)* DC-900-1514
- Application Program Interface (API) Programming Support**
- *Freeway Data Link Interface Reference Guide* DC-900-1385
  - *Freeway Transport Subsystem Interface Reference Guide* DC-900-1386
  - *QIO/SQIO API Reference Guide* DC-900-1355
- Socket Interface Programming Support**
- *Freeway Client-Server Interface Control Document* DC-900-1303
- Toolkit Programming Support**
- *Freeway Server-Resident Application and Server Toolkit Programmer Guide* DC-900-1325
  - *OS/Impact Programmer Guide* DC-900-1030

- *Protocol Software Toolkit Programmer Guide* DC-900-1338

### **Protocol Support**

- *ADCCP NRM Programmer Guide* DC-900-1317
- *Asynchronous Wire Service (AWS) Programmer Guide* DC-900-1324
- *AUTODIN Programmer Guide* DC-908-1558
- *Bit-Stream Protocol Programmer Guide* DC-900-1574
- *BSC Programmer Guide* DC-900-1340
- *BSCDEMO User Guide* DC-900-1349
- *BSCTAN Programmer Guide* DC-900-1406
- *DDCMP Programmer Guide* DC-900-1343
- *FMP Programmer Guide* DC-900-1339
- *Military/Government Protocols Programmer Guide* DC-900-1602
- *N/SP-STD-1200B Programmer Guide* DC-908-1359
- *SIO STD-1300 Programmer Guide* DC-908-1559
- *X.25 Call Service API Guide* DC-900-1392
- *X.25/HDLC Configuration Guide* DC-900-1345
- *X.25 Low-Level Interface* DC-900-1307

While reading this manual, you might also need to refer to the manuals listed below:

- *MC68020 32-Bit Microprocessor User's Manual*, Motorola, Inc.
- *MC68030 32-Bit Microprocessor User's Manual*, Motorola, Inc.
- *MC68901 Multi-function Peripheral Specification*, Motorola, Inc.
- *PTBUG Debug and Utility Program Reference Manual*, Simpack, Inc., DC 900-0424
- *VMEbus Specification Manual*, Revision C.1, VMEbus International Trade Association (VITA)
- *VSI VMEbus Slave Interface ASIC Manual*, Performance Technologies, Inc.

- *Z8530 Serial Communications Controller Technical Manual*, Zilog, Inc.
- *Z85230 Serial Communications Controller Technical Manual*, Zilog, Inc.

## Document Conventions

The following conventions apply throughout this document:

- When a specific model number is not mentioned, ICP refers to both the ICP6000R and the ICP6000X.
- A signal name that appears with an overline, for example,  $\overline{\text{ECS}}$ , indicates that the signal is asserted low.
- Hexadecimal values are shown preceded by the characters “0x” or with the notation (hex).
- Bits are numbered from right to left, beginning with zero. Bit zero is the low-order bit.

## Revision History

The revision history of the *Freeway ICP6000R/ICP6000X Hardware Description*, Sim-  
pact document DC 900-1020E, is recorded below:

Document Revision	Release Date	Description
DC 900-1020A	June 1993	Original release
DC 900-1020B	August 1993	Minor changes
DC 900-1020C	June 1995	Corrected Figure D-1.
DC 900-1020D	January 1998	Updated for the high-speed ICP6000X
DC 900-1020E	October 1999	Updated for the ICP6000R

## **Customer Support**

If you are having trouble with any Simpack product, call us at 1-800-275-3889 Monday through Friday between 8 a.m. and 5 p.m. Pacific time.

You can also fax your questions to us at (858)560-2838 or (858)560-2837 any time. Please include a cover sheet addressed to “Customer Service.”

We are always interested in suggestions for improving our products. You can use the report form in the back of this manual to send us your recommendations.

# Overview of the ICP

The ICP (intelligent communications processor) is an ancillary computer dedicated to the processing of communications-related data.

The ICP hardware is a single-board computer that has a central processing unit (CPU), random access memory (RAM), programmable read-only memory (PROM), and input/output (I/O) circuitry. The software consists of an onboard operating system, diagnostic tests, VME interface drivers, and application routines.

## 1.1 Purpose of the ICP

The ICP performs the WAN communications tasks for the Freeway system. The ICP increases overall system bandwidth by distributing the I/O processing away from the Freeway server CPU, freeing it to service the LAN clients.

[Table 1-1](#) summarizes the features of the ICP.

## 1.2 ICP Applications

The ICP is a general-purpose computer that can do many different tasks. At system startup, the ICP gains its run-time personality from downloaded application software. The application software may be customer-specific or part of a Simpack connectivity product.

**Table 1–1:** ICP Hardware Features

Feature	Description
68030 CPU running at 30 MHz	High-performance processor with linear addressing space
Up to 16 synchronous/asynchronous communications ports	Serial protocols may be implemented
32-channel DMA controller	Full-duplex DMA support provided for all 16 serial communications channels; aggregate DMA bandwidth of 4.0 megabits/second
VMEbus master interface	Local processor has direct access to the VMEbus
VMEbus slave interface ASIC	16-byte dual-ported mailbox with programmable slave address, programmable interrupt of onboard CPU upon VMEbus access of mailboxes, VMEbus interrupter with programmable level and vector, and reset function initiated by VMEbus software
EEPROM	Storage of startup parameters
EIA-232 console port	Debugging of onboard code using port as console
Two 32-pin JEDEC PROM sockets	Space for power-on diagnostics, debugger, bootloader, and other code

The following are some typical applications for the ICP as a front-end processor:

**Communications Protocols** ICP-resident software can implement complex communications protocols. The programmable ICP can easily be reconfigured for many serial protocols, and the software can be modified when protocol requirements change.

**Multiple Lines** Multiple communication ports enable the ICP to perform network management functions such as message routing, error logging, line-usage monitoring, and various checkout and testing functions.

**Data Acquisition** ICP-resident software can poll remote stations for status messages or maintain a database of alarm-point states. Additional remote stations can be handled easily and economically by adding ICPs.

**Device Control** The ICP is effective in formatting or modifying large amounts of output data in ways that are inefficient or inappropriate at the client level.



# Unpacking and Configuration

The Freeway system is shipped with the ICPs installed and configured. This chapter describes how to unpack and configure an ICP if you wish to upgrade your Freeway system by installing more ICPs later.

## 2.1 Antistatic Precautions

The ICP circuit board contains integrated circuits that are sensitive to electrostatic discharge (ESD), that is, static electricity. Improper handling can damage the ICP and result in symptoms ranging from unreliable operation to total failure.

---

### Caution

Never handle the ICP when it is outside its protective bag without wearing a static-guard wrist strap or taking an equivalent grounding precaution.

---

Standard ESD handling precautions are sufficient to protect the ICP. If you are not familiar with these techniques, take the following precautions:

- Always work at a static-safe workstation, wearing the static-guard wrist strap provided with each installation kit. Directions for using the wrist strap are on the back of the package.
- Leave the board inside its antistatic plastic bag until you are ready to inspect, configure, or install the board.

- When inspecting or configuring the board, keep the solder side in direct contact with the antistatic bag.
- Return the board to the bag immediately after inspection, configuration, or removal from the VME backplane.

## 2.2 Unpacking the ICP

Inspect the shipping carton for any damage that may have occurred during shipment. If such damage is noted, an agent of the shipping carrier should be present at any further unpacking and contents inspection.

Remove the packing list and check it against the items shipped to ensure that you have received the correct board, cables, and so on.

Carefully remove the board from its antistatic bag and observe normal electrostatic discharge precautions (described in [Section 2.1](#)) as you inspect the board for shipping damage.

## 2.3 Initial Inspection

Use the following procedure when inspecting your board:

1. Check overall appearance for breaks or cracks that may have occurred during shipping. If such damage is noted, report it to Simpect, Inc. and *do not proceed* with any further configuration and installation.
2. Check for loose or missing hardware such as unseated ICs.

## 2.4 Jumper and Switch Options

Jumper options are installed at the factory to a specific Freeway configuration. **DO NOT ALTER THEM.** If you are replacing an ICP or adding one to the Freeway system, you only need to set the board select switches as described on [page 28](#) of [Chapter 3](#). These switches control the VMEbus slave address for the ICP board.

All ICPs configured for Freeway have the following boot and VMEbus characteristics:

**Boot Flags**                      Upon power-on or reset, diagnostics are performed and the errors are output to the local `tty` port. Upon successful completion of the diagnostics, the ICP waits for a download command from the LAN CPU.

**VMEbus Slave Access**      The ICP mailboxes are mapped to the VMEbus short address space (A16) or VME extended space (A32). Address modifier codes are set to allow any short address space access (AM5–AM0 set to 2x (hex)).

## 2.5 Software Programmable Configuration Options

The ICP allows the local processor to have direct access to the VMEbus through the VMEbus master interface. In addition, the VMEbus interrupter enables the ICP to generate VMEbus interrupts at a given level and vector. Configuration of the VMEbus master interface and interrupter is accomplished each time the ICP is reset, when the driver passes the relevant parameters to the ICP's boot loader as the first step of the download procedure (described in [Chapter 7](#)).

The ICP device driver receives configuration parameters when the Freeway server is booted. The configuration information is retrieved from the physical configuration file which resides in the boot directory on the boot server. The physical configuration file is described in more detail in the *Freeway User Guide*. The values contained in the default file are configured for use in the Freeway server and should not be changed. Some of the parameters will be explained here briefly.

The `control_status_reg 0` (CSR0) value reflects the VMEbus request level for bus mastership. The `control_status_reg 1` (CSR1) value reflects the VMEbus address modifier code to be used during VMEbus master transactions.

The `interrupt_level` represents the VMEbus interrupt level to be used by the ICP when interrupting the LAN CPU. All ICPs are configured to use level 4.

The `vector_address` represents the vector used by the LAN CPU when fielding ICP interrupts. There will be a unique interrupt vector for each ICP installed in the Freeway server.

## VMEbus Installation

This chapter describes how to replace an ICP or install an additional ICP into the Freeway system.

*Step 1:*

Turn off the power to the Freeway system.

---


**Caution**

The ICP should never be inserted into or removed from the VMEbus cardcage while power is applied. Insertion or removal with power applied could seriously damage the system or the ICP components.

---

*Step 2:*

Loosen the two thumbscrews on the front of Freeway and open the hinged door to access the front panel. This panel contains the VMEbus cardcage. [Figure 3–1](#) shows the front panel with one empty ICP slot from which an ICP board has been removed. The cabling is not shown; string any new cables so that they conform to the same configuration as the existing cables.



**Figure 3-1:** Front View of Freeway 4000

*Step 3:*

The Freeway standard is that ICP0 resides in the first VMEbus slot above or to the right of the LAN CPU card, ICP1 above ICP0, and so on (see [Figure 3-1](#)). If you are replacing an ICP, set the board select switches on the new board to the same positions as the switches on the board being replaced. **If you are installing a new ICP, set the board select switches to the number of the slot where the board will be placed.** [Figure 3-2 on page 29](#) shows where the switches are on the ICP. [Table 3-1 on page 30](#) shows the valid settings for the switches and the VMEbus address configured for each.

Verify that the PCLK source jumper K16 is in the 1-2 position (7.3728 MHz) for the ICP6000R or in the 2-3 position (14.7456 MHz) for the ICP6000X.




Figure 3-2: ICP6000R/ICP6000X Switch and Jumper Settings

**Table 3–1: VMEbus Settings**

ICP <sup>a</sup> Number	Base Address Select		Board Select Number				VMEbus Slave Address (Hex)
	SW6	SW5	SW4	SW3	SW2	SW1	
ICPx	0	0	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	Go to PTBUG
ICP0	1	0	0	0	0	1	xxxxF200
ICP1	1	0	0	0	1	0	xxxxF400
ICP2	1	0	0	0	1	1	xxxxF600
ICP3	1	0	0	1	0	0	xxxxF800
ICP4	1	0	0	1	0	1	xxxxFA00
ICP5	1	0	0	1	1	0	xxxxFC00
ICP6	1	0	0	1	1	1	xxxxFE00
ICP7	1	0	0	0	0	0	xxxxF000
ICP8	0	1	0	0	0	0	FE000000
ICP9	0	1	0	0	0	1	FE000200
ICP10	0	1	0	0	1	0	FE000400
ICP11	0	1	0	0	1	1	FE000600
ICP12	0	1	0	1	0	0	FE000800
ICP13	0	1	0	1	0	1	FE000A00
ICP14	0	1	0	1	1	0	FE000C00
ICP15	0	1	0	1	1	1	FE000E00
ICP16	0	1	1	0	0	0	FE001000
ICP17	0	1	1	0	0	1	FE001200
ICP18	0	1	1	0	1	0	FE001400
ICP19	0	1	1	0	1	1	FE001600
ICP20	0	1	1	1	0	0	FE001800
ICP21	0	1	1	1	0	1	FE001A00
ICP22	0	1	1	1	1	0	FE001C00
ICP23	0	1	1	1	1	1	FE001E00
ICPx	1	1	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	Use address, etc. as defined in EE memory and disre- gard board select.

<sup>a</sup> Note: 0 is off, and 1 is on.

*Step 4:*

Refer to the appendix that is appropriate for your electrical interface to determine how to set the transmit clock source jumpers. All ICPs are set to external source (for example, EIA-232 DB25 pin 15) at the factory.

*Step 5:*

Insert the ICP so the component side is facing the same direction as the other boards in the backplane.

---

**Caution**

The ICP will be severely damaged if inserted into the backplane incorrectly.

---

*Step 6:*

If you are replacing an ICP, the installation is now complete. Turn on the power to the Freeway system.

*Step 7:*

If you are adding an ICP to the system, refer to the *Freeway User Guide* for instructions on updating the system configuration before you turn on the power.

### 3.1 EEPROM Access

The following steps show how you can view the EEPROM configuration menu. This is not a part of normal installation. Generally, only Toolkit users will be concerned with this menu.

*Step 1:*

Loosen the two thumbscrews and open the front panel to access the VMEbus cardcage.

*Step 2:*

To access PTBUG, connect a terminal to the ICP's console port connector. (See [Figure 3–2 on page 29](#) for the location of the console port.) Console cables are available from Simpact. [Table 5–5 on page 49](#) shows the pinout of the console cable. The terminal should be set to 9600 baud, 8 bits, no parity, one stop bit.

*Step 3:*

Type "Control-C" at the terminal while the ICP is waiting for download to cause the **PTBUG >** prompt to appear on the terminal screen.

*Step 4:*

Verify the EEPROM default values (shown in [Table 3–2 on page 33](#)) using the PTBUG "EE" command. The example in [Table 3–3 on page 34](#) verifies that address 0x2E is set to 0xFE00. Press carriage return to accept the current value; press period to return to the prompt. For more information, see the *PTBUG Debug and Utility Program Reference Manual*.

*Step 5:*

When EEPROM examination is complete, enter "BO" <CR> to restart the download/boot code, disconnect the terminal from the ICP's console port connector, close the front panel, and tighten the two thumbscrews.

**Table 3–2: EEPROM Default Values**

Address (Hex)	Description	Value (Hex)	<sup>a</sup>
0	Validity word	CAFE	
2	Validity word	F00D	
4-18	Reserved		
1A	Validity word	B0BB	
1C	<sup>b</sup> Boot flags <sup>c</sup>	6 or E	<sup>d</sup>
1E	Startup code EEPROM address high word	0	
20	Startup code EEPROM address low word	C000	
22	Address to move startup code to in RAM high word	400E	
24	Address to move startup code to in RAM low word	0	
26	Number of bytes of startup code to move high word	0	
28	Number of bytes of startup code to move low word	600	
2A	Startup code execution address high word	400E	
2C	Startup code execution address low word	020A	
2E	<sup>b</sup> Slave address compare high word	0000 or FE00	<sup>e</sup>
30	<sup>b</sup> Slave address compare low word	F600 or 0200	<sup>e</sup>
32	<sup>b</sup> Mode selection	34 or 4	
34	<sup>b</sup> Slave address modifier compare	20	
36	<sup>b</sup> Slave address modifier don't care	F	
38	Master enable	60	
3A-7E	Reserved		

<sup>a</sup> PTBUG is used to verify these values.

<sup>b</sup> Entries shown with a “b” are configurable options.

<sup>c</sup> See [Table 3–4 on page 34](#) for further information about the boot flags.

<sup>d</sup> ICP6000X only.

<sup>e</sup> This value is determined by the board select switch shown in [Figure 3–2 on page 29](#).

**Table 3–3:** Example of PTBUG “EE” Command

---

Syntax: PTBUG > ee address

Example: PTBUG > ee 2e  
0000002E 0000 ?  
00000030 0000 ? .  
PTBUG >

---

**Table 3–4:** Boot Flags

---

Bit 0: Power Up/Boot Command Enable  
0 = Boot at power up or via Boot Command (B0)  
1 = Boot via Boot Command (B0) only

Bit 1: Diagnostics Enable  
0 = Do not execute diagnostics  
1 = Execute base board diagnostics before boot

Bit 2: Verbose Error Mode  
0 = Do not print error code string  
1 = Print error code string

Bits 3 and 4: Memory Size  
00 = 1MB (ICP6000R)  
01 = 4 MB (ICP6000X)  
10 = 8 MB (ICP6000X)

---

# Hardware Specifications

The ICP6000R and ICP6000X consist of a base board that is a VMEbus controller, an Electrical Interface Module (EIM) daughterboard, and one or more passive distribution panels. The base board contains the 68030, memory, VMEbus interfaces, and DMA controller. The EIM contains the communications and line interface devices. The distribution panel provides the required transition from the ICP to the connector interface.

## 4.1 Mechanical and Environmental Specifications

The following sections define the requirements for the ICP.

### 4.1.1 Physical Characteristics

Width	234 mm	(9.2 in)
Depth	160 mm	(6.3 in)
Front Panel	20.3 mm	(0.8 in)

### 4.1.2 Power Requirements

+5Vdc +/-5%	5.0 amps (typical) 6.0 amps (maximum)
+12Vdc +/-5%	0.15 amps (maximum)
-12Vdc +/-5%	0.15 amps (maximum)

The Freeway power supply supports a fully configured system. You must only consider ICP power requirements if you add VME cards other than Simpack's to your Freeway system.

### **4.1.3 Environment**

Several environmental factors should be considered to ensure reliable operation of the ICP and the Freeway system.

The room air conditioning system should provide cool, filtered, humidified air. Temperature should be held as stable as possible to prevent thermal-related failures. Low humidity contributes to static electricity, which can cause catastrophic failures. The allowable temperature and humidity ranges are as follows:

Temperature	0° to 55° C, operating -55° to 85° C, non-operating
Humidity	10% to 90%, non-condensing

Recommended operating conditions are 20 degrees Centigrade (70 degrees Fahrenheit) and 45 percent relative humidity.

## **4.2 Device Specifications**

[Table 4-1](#) lists the specifications for the devices on the base board.

**Table 4–1:** Specifications for ICP Devices

<b>Device</b>	<b>Specification</b>
Processor	68030 at 30 MHz
Main RAM	1 Megabyte Dynamic (ICP6000R) 4 or 8 Megabytes Dynamic (ICP6000X)
PROM/EEPROM/SRAM	Two 32-pin JEDEC Byte Ports Socket 1      32Kx8 PROM or 64Kx8 PROM or 128Kx8 PROM or 256Kx8 PROM or 512Kx8 PROM or 1024Kx8 PROM Socket 2      8Kx8 EEPROM or 8Kx8 SRAM or 32Kx8 EEPROM or 32Kx8 SRAM or 64Kx8 PROM or 128Kx8 PROM or 256Kx8 PROM or 512Kx8 PROM or 1024Kx8 PROM
VMEbus Master	A32/A24: D32/D16 Block Mode Unaligned Transfers
VMEbus Slave	A32/A24/A16 D8(0)



# Hardware Overview

This chapter describes the ICP6000R and ICP6000X architecture, memory map, buses, and design. [Figure 5–1 on page 40](#) shows a block diagram of the board, [Table 5–1 on page 41](#) shows the allocation of memory space, and [Table 5–2 on page 45](#) shows the interrupt levels, sources, and vectors. All circuitry, pinout, and distribution panel information that applies to specific electrical interfaces, such as EIA-232, EIA-422, and so on is found in [Appendix A](#) through [Appendix D](#).


## 5.1 Internal Architecture

The ICP VMEbus controller allows accesses to the VMEbus that are of indeterminate length and take place without compromising the ability of the I/O DMA controller to transfer data.

Many VMEbus setup parameters usually associated with jumpers or switches are software programmable on the ICP. VMEbus slave address, master request level, and master request mode are programmable by the local processor. An EEPROM is provided for non-volatile storage of these parameters. The board select switches, accessible to the firmware, are provided for those applications that demand a manual input (see [Section 5.14 on page 64](#)).

## 5.2 Microprocessor

The ICP uses a Motorola 68030 microprocessor running at 30 MHz.



0298

Figure 5-1: ICP6000R/ICP6000X Block Diagram

**Table 5–1: General Memory Map**

<b>Memory Range (hex)</b>	<b>Device</b>
00000000–0001FFFF	Read-only Memory Socket, U39 (jumper-selectable, K3)
or 00000000–0003FFFF	
00020000–0FFFFFFF	Read/Write Memory Socket, U19 (jumper-selectable, K3)
or 00040000–0FFFFFFF	
10000000	I/O DMA Command Register (write-only, byte-wide)
10000001	General Control Register 0 (write-only, byte-wide)
10000002	General Control Register 1 (write-only, byte-wide)
10000003	General Status Register (read-only, byte-wide)
20000000	MFP General Purpose I/O Data Register (GPDR)
20000001	MFP Active Edge Register (AER)
20000002	MFP Data Direction Register (DDR)
20000003	MFP Interrupt Enable Register A (IERA)
20000004	MFP Interrupt Enable Register B (IERB)
20000005	MFP Interrupt Pending Register A (IPRA)
20000006	MFP Interrupt Pending Register B (IPRB)
20000007	MFP Interrupt In-Service Register A (ISRA)
20000008	MFP Interrupt In-Service Register B (ISRB)
20000009	MFP Interrupt Mask Register A (IMRA)
2000000A	MFP Interrupt Mask Register B (IMRB)
2000000B	MFP Vector Register (VR)
2000000C	MFP Timer A Control Register (TACR)
2000000D	MFP Timer B Control Register (TBCR)
2000000E	MFP Timers C & D Control Register (TCDCR)
2000000F	MFP Timer A Data Register (TADR)
20000010	MFP Timer B Data Register (TBDR)
20000011	MFP Timer C Data Register (TCDR)
20000012	MFP Timer D Data Register (TDDR)
20000013	MFP Sync Character Register (SCR)

**Table 5–1: General Memory Map (Cont'd)**

Memory Range (hex)	Device
20000014	MFP USART Control Register (UCR)
20000015	MFP Receiver Status Register (RSR)
20000016	MFP Transmitter Status Register (TSR)
20000017	MFP USART Data Register (UDR)
30000000	VSI Mailbox Register 0
30000001	VSI Mailbox Register 1
30000002	VSI Mailbox Register 2
30000003	VSI Mailbox Register 3
30000004	VSI Mailbox Register 4
30000005	VSI Mailbox Register 5
30000006	VSI Mailbox Register 6
30000007	VSI Mailbox Register 7
30000008	VSI Mailbox Register 8
30000009	VSI Mailbox Register 9
3000000A	VSI Mailbox Register 10
3000000B	VSI Mailbox Register 11
3000000C	VSI Mailbox Register 12
3000000D	VSI Mailbox Register 13
3000000E	VSI Mailbox Register 14
3000000F	VSI Mailbox Register 15
30000010	VSI Mailbox 7–0 Interrupt Mask Register (write-only)
30000010	VSI Mailbox 7–0 Interrupt Pending Register (read-only)
30000011	VSI Mailbox 15–8 Interrupt Mask Register (write-only)
30000011	VSI Mailbox 15–8 Interrupt Pending Register (read-only)
30000012	VSI Mailbox 03–00 Interrupt Pin Select
30000013	VSI Mailbox 07–04 Interrupt Pin Select
30000014	VSI Mailbox 11–08 Interrupt Pin Select
30000015	VSI Mailbox 15–11 Interrupt Pin Select
30000016	VSI Slave Address Modifier Compare Register
30000017	VSI Slave Address Modifier Don't Care Register

**Table 5–1:** General Memory Map (*Cont'd*)

Memory Range (hex)	Device
30000018	VSI Slave Address A31–A24 Compare Register
30000019	VSI Slave Address A23–A16 Compare Register
3000001A	VSI Slave Address A15–A09 Compare Register
3000001B	VSI VMEbus Interrupter Request Level Register (write-only)
3000001B	VSI VMEbus Interrupter Level Pending Register (read-only)
3000001C	VSI VMEbus Interrupt Vector Number Register
3000001D	VSI Slave Auxiliary Address Compare/Don't Care
3000001E	VSI Global Interrupt Status Register (read-only)
3000001E	VSI Master Enable Register (write-only)
3000001F	VSI Mode Selection Register
40000000–40xFFEFFF <sup>a</sup>	Dynamic RAM (read/write, longword-wide)
40xFFF00–40xFFF3F	Ports 0–15 Receive DMA Memory Address Register (MAR) (read/write, longword-wide)
40xFFF40–40xFFF7F	Ports 0–15 Transmit DMA MAR (read/write, longword-wide)
40xFFF80–40xFFFBF	Ports 0–15 Receive DMA Terminal Count Register (TCR) (read/write, longword-wide)
40xFFFC0–40xFFFFF	Ports 0–15 Transmit DMA TCR (read/write, longword-wide)
60000000	EIM SCC Port 0, Data (read/write, byte-wide)
60000001	EIM SCC Port 0, Control
60000002	EIM SCC Port 1, Data
60000003	EIM SCC Port 1, Control
60000004	EIM SCC Port 2, Data
60000005	EIM SCC Port 2, Control
60000006	EIM SCC Port 3, Data
60000007	EIM SCC Port 3, Control
60000008	EIM SCC Port 4, Data
60000009	EIM SCC Port 4, Control
6000000A	EIM SCC Port 5, Data
6000000B	EIM SCC Port 5, Control

**Table 5–1:** General Memory Map (*Cont'd*)

Memory Range (hex)	Device
600000C	EIM SCC Port 6, Data
600000D	EIM SCC Port 6, Control
600000E	EIM SCC Port 7, Data
600000F	EIM SCC Port 7, Control
6000010	EIM SCC Port 8, Data
6000011	EIM SCC Port 8, Control
6000012	EIM SCC Port 9, Data
6000013	EIM SCC Port 9, Control
6000014	EIM SCC Port 10, Data
6000015	EIM SCC Port 10, Control
6000016	EIM SCC Port 11, Data
6000017	EIM SCC Port 11, Control
6000018	EIM SCC Port 12, Data
6000019	EIM SCC Port 12, Control
600001A	EIM SCC Port 13, Data
600001B	EIM SCC Port 13, Control
600001C	EIM SCC Port 14, Data
600001D	EIM SCC Port 14, Control
600001E	EIM SCC Port 15, Data
600001F	EIM SCC Port 15, Control
6000020–600003F	EIM Bit Registers
80000000–FFFFFFFF	VMEbus Access

<sup>a</sup> x = 0 for ICP6000R or 3 for ICP6000X

**Table 5–2:** General Interrupt Map

Level	Source	Vector (hex)
7	NMI (Toolkit Panel)	7C
6	DMA Channel Terminal Count	EO–EF (receive) F0–FF (transmit)
5	SCC (via MFP)	x0–xF (programmable)
4	Software Timer	1C (Auto Vector 4)
3	VSI Interrupt 0 (LIRQ0)	1B (Auto Vector 3)
2	VSI Interrupt 0 (LIRQ1)	1A (Auto Vector 2)
1	VSI Interrupt 0 (LIRQ2)	19 (Auto Vector 1)

### 5.3 Main Memory

Main memory is one megabyte of dynamic RAM for the ICP6000R and four or eight megabytes for the ICP6000X.

### 5.4 PROM

The board is equipped with two 32-pin JEDEC sockets configured as byte ports. One socket is used with read-only devices. The second socket can be configured for read-only or read/write devices. As supplied by Simpact, the read-only socket (U39 or U7) contains a 64Kx8 PROM. The diagnostics, boot loader, and PTBUG debugging tool reside in this PROM. The other socket is empty and available for a user-added device.

The jumpers at locations K5, K6, and K7 allow for variation in the pinout of the PROM/ROM/EEPROM/SRAM socket, U19 (see [Table 5-3 on page 46](#)) or U8 (see [Table 5-4 on page 47](#)). When installing a 28-pin device, be sure that pin 14 of the device enters pin 16 of the socket (bottom justified). EEPROMs used in this application must have write protection built in.

**Table 5-3:** U19 (ICP6000R) Configuration

Device Type	Jumpers Installed All Other K5, K6, K7 Removed
8Kx8, 28-pin EEPROM/SRAM	K6-1 to K6-2 K7-1 to K7-2
32Kx8, 28-pin EEPROM/SRAM	K5-2 to K5-3 K6-1 to K6-2 K7-2 to K7-3
64Kx8, 28-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-2 to K7-3
128Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3
256Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-1 to K7-2

**Table 5-4:** U8 (ICP6000X) Configuration

Device Type	Jumpers Installed All Other K5, K6, K7 Removed
8Kx8, 28-pin EEPROM/SRAM	K6-1 to K6-2 K7-2 to K7-3
32Kx8, 28-pin EEPROM/SRAM	K5-2 to K5-3 K6-1 to K6-2 K7-2 to K7-3
64Kx8, 28-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-2 to K7-3 K8-2 to K8-3 K9-2 to K9-3
128Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-2 to K7-3 K8-2 to K8-3 K9-2 to K9-3
256Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-1 to K7-2 K8-2 to K8-3 K9-2 to K9-3
512Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-1 to K7-2 K8-1 to K8-2 K9-2 to K9-3
1024Kx8, 32-pin PROM/ROM	K5-1 to K5-2 K6-2 to K6-3 K7-1 to K7-2 K8-1 to K8-2 K9-1 to K9-2

## 5.5 Timers

The 68901 Multi-Function Peripheral (MFP) provides four timers. The timers perform the following functions:

- Operating system clock
- VMEbus timeout timing
- Console port baud rate generation

The timers are driven by a 3.6864 MHz clock.

## 5.6 Console Port

The ICP's console port is provided by the single-channel USART on the Multi-Function Peripheral. It is equipped with an EIA-232 interface and supports transmit and receive signals over the common asynchronous speed range.

The console port connector is a 14-pin dual-row header located on the ICP's front panel. This connector is designed to allow construction of a simple adapter to the standard 25-pin D EIA-232 connector using insulation displacement connectors and a 14-conductor ribbon cable. [Table 5–5 on page 49](#) shows the pin assignments.

## 5.7 Communications Devices

The Electrical Interface Module (EIM) is a daughterboard that contains up to eight Z85C30 SCCs operating at 7.3728 MHz (ICP6000R) or Z85230 SCCs operating at 14.7456 MHz (ICP6000X) and, optionally, bit registers for modem and other control applications. All drivers and receivers are located on the EIM. One or two pairs of 40-conductor ribbon cables connect the EIM to the distribution panel. The distribution panel is completely passive and serves only to mount connectors. Specific EIM descriptions can be found in the appendices of this manual.

**Table 5–5: Console Port Pin Assignments**

EIA-232 25 Dsub Pin	Front Panel (P4) Connector Pin	Description
1	1	Ground
2	3	Transmit Data (driven by ICP)
3	5	Receive Data (received by ICP)
4	7	Jumpered to P4-9
5	9	Jumpered to P4-7
6	11	Jumpered to P4-14
7	13	Ground
-	8 and 10	Reserved for NMI switch
-	12	Reserved for Reset switch
8–19	-	Not connected
20	14	Jumpered to P4-11
21–25	-	Not connected

### 5.7.1 Register Access

Direct access to the SCC registers can be made by using the addresses listed in the general memory map (see [Table 5–1 on page 41](#)).

### 5.7.2 SCC Interrupts

The parallel I/O port of the MFP is used to receive interrupt requests from the SCCs residing on the EIM daughterboard. The MFP's Data Direction Register (DDR) should be programmed so that all bits are inputs (see [Table 5–6 on page 50](#)). The Active Edge Register (AER) should be programmed so that all bits are triggered by the falling edge. When an SCC asserts its interrupt line, the MFP causes an interrupt request to the 68030 on level 5. The interrupt vector is based on the SCC requesting the interrupt and the contents of the MFP Vector Register (VR). The Vector Register should not be programmed for a base of 0xE0 or 0xF0 as these vector ranges are reserved for the I/O DMA controller.

**Table 5–6:** MFP DDR Programming

Bit	I/O	Function
7	I	SCC Interrupt Request Ports 14, 15
6	I	SCC Interrupt Request Ports 12, 13
5	I	SCC Interrupt Request Ports 10, 11
4	I	SCC Interrupt Request Ports 8, 9
3	I	SCC Interrupt Request Ports 6, 7
2	I	SCC Interrupt Request Ports 4, 5
1	I	SCC Interrupt Request Ports 2, 3
0	I	SCC Interrupt Request Ports 0, 1

## 5.8 Peripheral Device DMA Controller

The SCC devices are served by a 32-channel DMA controller. This controller is configured so that, for each communications port, one channel is allocated to transmit and a separate channel is allocated to receive.

For each channel, the controller stores a Memory Address Register (MAR) value and a Transfer Count (TC) value in a dedicated 64-longword field at the top of onboard main memory.

During operation, a high-speed state machine receives the DMA request and fetches the MAR and Terminal Count Register (TCR) values from memory. The MAR and TCR are incremented or decremented and replaced in memory. The byte read or write cycle, at the address specified by the MAR, is then conducted and the data transferred to or from the SCC.

The DMA controller can interrupt the local processor on terminal count for both transmit and receive operations. An interrupt is generated when a DMA channel reaches terminal count. Each DMA channel has a separate interrupt vector. DMA terminal count interrupts may be disabled for receive channels only.

The I/O DMA controller is programmed using the I/O DMA Command Register and the MARs and TCRs.

After programming the channel's SCC appropriately, the channel buffer address is loaded into the channel's MAR memory location and the transfer (byte) count into the channel's TCR memory location. The channel is then started using a command to the I/O DMA Command Register.

### 5.8.1 MAR/TCR Memory Locations

Each I/O DMA channel is assigned a dedicated longword near the top of the main memory as its MAR and a second longword as its TCR (see [Table 5–1 on page 41](#)). Each longword has 20 or 22 valid bits, allowing an I/O DMA address range of 1 or 4 megabytes.


The MAR counts up and the TCR counts down as the DMA operation progresses.

### 5.8.2 DMA Terminal Count Interrupts

Typical operation of SCCs in DMA mode is to have transmit completions signaled by DMA Terminal Count Interrupts and receive completions signaled by SCC Receive Complete Interrupts. In this case, the TCR value of receive channels is set to a value larger than the largest anticipated receive packet, and the TCR acts as a safety net should a rogue packet exceed anticipated size.

Transmit Channel Terminal Count Interrupts are generated by the I/O DMA Controller at level 6. The vector number is determined by combining the number of the channel interrupting with a fixed base vector. Vector numbers are in the form  $Fx$  (hex), where  $x$  is the port number. (For example, the transmit vector number for port 5 is  $0xF5$ .)

Receive Channel Terminal Count Interrupts can be globally enabled or disabled using bit 4 in General Control Register 0 as shown in [Figure 5–2 on page 52](#). These interrupts are also at level 6 with vectors of the form  $Ex$  (hex). (For example, the receive vector number for port 11 is  $0xEB$ .)



Mnemonic	Name	Description
RCINT	DMA Receive Interrupt	0 = Interruption on receive terminal count 1 = No interruption on receive terminal count The post-reset state of this bit is 0.

**Figure 5–2:** General Control Register 0 Use for DMA

### 5.8.3 I/O DMA Command Register


The I/O DMA Command Register, defined in [Figure 5–3 on page 53](#), is used to start or stop any one of the 32 DMA channels. A bit in the Status Register, shown in [Figure 5–4 on page 54](#), is used to control write access to this register. Writes to this register must be made only when bit 4 of the Status Register is 1 (DMARDY).

## 5.9 VMEbus Slave Interface

The VMEbus slave interface is implemented using the “VMEbus Slave Interface” (VSI) ASIC.


The VSI’s 16 byte-wide mailboxes are accessible from both the VMEbus and the local processor bus. The mailbox control logic monitors accesses from the VMEbus and has the capability of interrupting the local processor when VMEbus accesses are made. A flexible system of controls allows this monitor/interrupt function to be adapted to specific firmware requirements.

The VSI also provides the VMEbus interrupter function. This interrupter is fully programmable. Both request level and vector number can be selected by software.



Mnemonic	Name	Description
SRS	Scanner Range Select	<p>These bits select one of four request scanner ranges for the peripheral DMA controller. Maximum peripheral DMA performance is achieved when the scanner range covers only the active channels.</p> <p>0 0 = Scan ports 0–15            0 1 = Scan ports 0–7            1 0 = Scan ports 0–3            1 1 = Scan ports 0–1</p>
CSS	Channel Start/Stop	<p>This bit commands the channel addressed by T/R and PORT3–0.</p> <p>0 = Start Channel DMA            1 = Stop Channel DMA</p>
T/R	Transmit or Receive Channel	<p>This bit selects either the transmit or receive channel for the port selected by PORT3–0.</p> <p>0 = Receive Channel Selected            1 = Transmit Channel Selected</p>
PORT	Port Select Bits	<p>This nibble may contain a value between 0 and 0xF and, along with the T/R bit, selects the DMA channel to be started or stopped.</p>

**Figure 5–3:** I/O DMA Command Register



Mnemonic	Name	Description
DMARDY	I/O DMA Controller Ready	0 = Do not write to DMA Command Register 1 = Okay to write to DMA Command Register

**Figure 5–4:** Status Register Use for DMA

The Freeway server CPU may issue a hardware reset of the ICP by accessing a specific location decoded by the VSI. The location must be accessed using a specific data pattern to reduce the chances of inadvertent reset (0xAA to offset 0x3D).

### 5.9.1 VMEbus Slave Address Decoder

The VMEbus slave address decoder provides address decoding to allow the mailboxes to be addressed from the VMEbus. The PROM-based startup code loads the VSI Slave Address Decoder Registers from values it reads from the EEPROM. (Refer to [Table 5–1 on page 41](#) for VSI register addresses.) The EEPROM is automatically updated to the proper Freeway configuration when the board select switches are set. See [Section 2.4 on page 25](#).

### 5.9.2 VMEbus Mailboxes and Software Reset

Using its registers, the VSI device decodes a 512-byte region of the VMEbus address space. The 16 byte-wide mailboxes and the software reset decoder are in this region. VMEbus access to the mailboxes can be made to interrupt the local processor bus. The type of access and the interrupt pin to be used can be programmed. The mailboxes are accessible on the VMEbus at odd addresses (B(0)), beginning at offset 1 from the base

of the 512-byte region. The Software Reset Register is accessed on the VMEbus at offset 0x3D from the base with 0xAA. The mailboxes are also accessible by the local processor bus, but the Software Reset Register is not. (See [Table 5–1 on page 41](#) for mailbox addresses on the local processor bus.) Because setup of the VSI requires multiple operations, it is not enabled onto the VMEbus until all setup operations are complete.

### 5.9.3 Mailbox Slave Address Decoder

The following example sets up the mailboxes at a VMEbus address of 0xFE000000 in Extended Supervisor or User space. A similar procedure is performed by the PROM-resident boot loader according to the EEPROM configuration parameters (see [Table 3–2 on page 33](#)). This is shown for your information only; user application code does not normally program the mailbox slave address decoder.

1. Load bits 31–24 (0xFE) of the desired address into the VSI Slave Address Compare Register (A31–A24)
2. Similarly, load bits 23–16 (0x00) into the VSI Slave Address Compare Register (A23–A16) and bits 15–9 (0x00) into the VSI Slave Address Compare Register (A15–A09).
3. The Extended Supervisor/User Address space requires that Address Modifier Bits 2–0 be decoded “don’t care” and that Address Modifier bits 5–3 be compared to 001. To accomplish this, the VSI Slave Address Modifier Compare Register is loaded with 0x08 and the VSI Slave Address Modifier Don’t Care Register is loaded with 0x07.

### 5.9.4 Configuring the Mailbox Interrupts

In this example, the mailbox interrupts are set so that LIRQ2 (autovector 1) is activated when mailbox 0 is written by the VMEbus, LIRQ0 (autovector 3) is activated when mailbox 7 is written, and LIRQ1 (autovector 2) is activated when mailbox 8 is written.

1. Load a value of 0x02 into Mailbox Interrupt Pin Select (3–0) (offset 0x12). This routes mailbox 0 to LIRQ2 (autovector 1).
2. Similarly, load a value of 0xC0 into Mailbox Interrupt Pin Select (7–4) (offset 0x13) and a value of 0x01 into Mailbox Interrupt Pin Select (11–8) (offset 14).
3. Enable mailbox 0, 7, and 8 interrupts by loading a value of 0x81 into Mailbox Interrupt Mask (7–0) (offset 0x10) and a value of 0x01 into Mailbox Interrupt Mask (15–8) (offset 0x11).

### 5.9.5 Software Reset

The software-controlled reset location is connected directly to the local reset pin and cannot be disabled except by disabling the VSI VMEbus address decode. A reset is generated when a value of 0xAA is written to the Software Reset Register by the VMEbus.

## 5.10 VMEbus Interrupter

The VMEbus Interrupter is integrated into the VSI. Two VSI registers are used to control the interrupter. The VMEbus Interrupt Request Level Register specifies the desired interrupt level and also contains “interrupter done” status bits. The VMEbus Interrupt Request Vector Number Register specifies the desired interrupt vector and initiates the interrupt. The VMEbus interrupter is normally programmed by system-level downloaded code provided by Simpect. The programming sequence is summarized below. Details are available in the *VMEbus Slave Interface (VSI)* manual available from Simpect (document number 826A010100).

1. Poll the VMEbus Interrupt Request Level Register until status indicates “not busy.”
2. Load the desired request level into the VMEbus Interrupt Request Level Register.
3. Load the desired vector number into the VMEbus Interrupt Vector Number Register. This load initiates the interrupt process.
4. The interrupter goes “busy” (as indicated by the Interrupt Request Level Register) and remains “busy” until the VMEbus interrupt acknowledge cycle is completed. Optionally, one of the LIRQ pins can be configured as an “interrupter done” interrupt.

## 5.11 VMEbus Master Interface


The ICP allows the local processor to have direct access to the VMEbus through the VMEbus Master Interface.

VMEbus access appears as a portion of the local processor memory map and can be freely read from or written to using full A32:D32 capability. During VMEbus accesses, AM0–5 and A31 are supplied from a local register. All byte position translations and unaligned transfers are automatically performed.

The VMEbus request level and request mode (Release-When-Done and Release-On-Request) are software-programmable.

Because VMEbus accesses may be of indeterminate length (due to bus contention from unknown sources), the ICP provides a level of logical isolation between the local memory array and the VMEbus master interface. This isolation ensures that the real-time requirements of the SCCs’ DMA controller are not jeopardized by long processor accesses to the VMEbus.

A VMEbus Master requests the VMEbus with one of four levels and using one of two request modes. Bits for controlling the request level and mode are found in General Control Register 0, as shown in [Figure 5-5](#).



Mnemonic	Name	Description
VMERMS	VMEbus Request Mode Select	0 = Release On Request 1 = Release When Done
VMEBR1-0	VMEbus Bus Request Level	These bits select the corresponding bus request level (0-3) after the next VMEbus cycle arbitration completes.

**Figure 5-5:** General Control Register 0 Use for VMEbus

A VMEbus Master also issues Address Modifier codes with each address. The ICP Master Interface obtains these codes from bits in General Control Register 1, as shown in [Figure 5-6 on page 59](#).

A VMEbus Master must adapt to limitations and options in the system of which it is a part. Control bits to limit transfers to 16 bits and to perform internal data alignment are provided in General Control Register 1. This allows operation with systems that do not support D32 and/or non-aligned transfers.

Bit 31 of the local address bus is used to decode VMEbus accesses and is not available for direct use on the VMEbus. In order to provide access to the full 32-bit address range of the VMEbus, the VMEbus Master Interface uses bit 31 supplied from General Control Register 1.

The VMEbus Master may access non-existent or non-responsive VMEbus addresses, particularly during software development. To prevent a hang condition, the ICP is equipped with a VMEbus cycle timer that is programmed by the PROM-resident code.

Address: 10000002

	7	6	5	4	3	2	1	0
	VMEDA	VMEDS	AM5	AM4	A31	AM2	AM1	A0

Mnemonic	Name	Description
VMEDA	VMEbus Data Alignment	This bit controls the data alignment mode of the ICP. When the bit is 1, the internal VMEbus master logic aligns non-aligned data. When the bit is 0, non-aligned transfers are performed on the VMEbus. 0 = Non-aligned transfers performed 1 = Alignment performed internally
VMEDS	VMEbus Data Size	This bit controls the maximum data size used by the ICP for VMEbus transfers 0 = D:32 master transfers allowed 1 = D:16 master transfers only
AM5-0	VMEbus Address Modifier Codes	These bits provide VMEbus address modifier bits 5-0, respectively, during VMEbus read and write cycles. AM3 is not programmable as it is derived directly from AM5 and AM4.
A31	VMEbus Address Bit 31	This bit provides A31 during VMEbus master read and write cycles.

**Figure 5-6:** General Control Register 1

## 5.12 Operating Controls and Indicators

This section describes the LEDs on the board. [Figure 5–7 on page 61](#) shows their locations on the ICP.

### 5.12.1 Fault Indicator

The ICP FAULT indicator is a red LED, controlled by bit 0 in General Control Register 0 as shown in [Figure 5–8 on page 62](#).

### 5.12.2 I/O DMA Indicator

The green “I/O DMA” indicator is illuminated whenever the local DMA controller has control of the internal bus. The LED illumination intensity is a relative indication of the DMA activity.

### 5.12.3 VME Access Indicator

The green “VMEbus” indicator is illuminated whenever the ICP is accessing the VMEbus.

## 5.13 Serial EEPROM Operation

The serial EEPROM stores setup parameters and is reserved for use by the PROM-based code. Accessing the serial EEPROM is a software-intensive operation because the control lines (Chip Select, Clock, Data In, and Data Out) must be manipulated on a bit-by-bit basis to clock data into or out of the EEPROM. Consult the EEPROM manufacturers’ documentation regarding the required timing and control.

The output lines (Chip Select, Clock, and Data In) are controlled from bits in General Control Register 0 (see [Figure 5–9 on page 62](#)). The input line (Data Out) is accessed from the Status Register (see [Figure 5–10 on page 63](#)).






Figure 5-7: ICP Front Panel Showing Location of LEDs



Mnemonic	Name	Description
FAULT	FAULT LED and SYSFAIL* Control	0 = FAULT LED and SYSFAIL* asserted 1 = FAULT LED and SYSFAIL* negated The post-reset state of this bit is 0 (LED on and SYSFAIL* asserted).

**Figure 5–8:** General Control Register 0 Use for FAULT LED



Mnemonic	Name	Description
EEPDI	EEPROM Data In Line	This bit selects the “Data In” line to the serial EEPROM.
EEPSK	EEPROM Serial Clock Line	This bit selects the clock to the serial EEPROM.
EEPCS	EEPROM Chip Select	0 = EEPROM not selected 1 = EEPROM selected The post-reset state of this bit is 0.

**Figure 5–9:** General Control Register 0 Use for EEPROM Operation

Address: 10000003

7	6	5	4	3	2	1	0
SW6	SW5	EEPDO	DMARDY	SW4	SW3	SW2	SW1

Mnemonic	Name	Description
EEPDO	EEPROM Data Out Line	This bit selects the “Data Out” line from the serial EEPROM.

**Figure 5–10:** Status Register Use for EEPROM Operation

## 5.14 Board Select Switches

The board select switches are located on the base board, near the edge of the electrical interface module (the daughterboard). There are six switches, SW1 through SW6. Refer to [Section 2.4 on page 25](#) for information on setting the board select switches. The switch positions can be read from the Status Register as shown in [Figure 5–11](#).

Address: 10000003							
7	6	5	4	3	2	1	0
SW6	SW5	EEPDO	DMARDY	SW4	SW3	SW2	SW1

Mnemonic	Name	Description
SW6–1	Board Select Switches	0 = Switch on toward front panel 1 = Switch off toward VME backplane
	SW6–SW5	0 0 = Go to PTBUG 0 1 = Use extended space 32-bit slave addressing 1 0 = Use short space 16-bit slave addressing 1 1 = Ignore SW3:1 and use address values currently in EE
	SW4–SW1	Binary encoded board number

**Figure 5–11:** Status Register Use for Board Select Switches

The ICP PROM contains a comprehensive hardware self-test that is normally executed when the ICP is powered-on or reset.

During execution of the self-test, the FAULT LED (shown in [Figure 5–8 on page 62](#)) is illuminated. On successful completion of the test and subsequent loading of the VSI address compare registers, etc., the LED is extinguished. An error detected by the self-test terminates the test and the FAULT LED remains illuminated.

## 6.1 Tests Performed

The hardware self-test is composed of the subtests described in the following sections.

### 6.1.1 ROM Checksum

The ROM checksum subtest sums the bytes of the onboard PROM. This value is then compared to the precalculated checksum located in “ROM checksum word” at address 0x7C of the EEPROM (see [Table 3–2 on page 33](#)).

### 6.1.2 Dynamic RAM (DRAM)

The DRAM subtest performs a series of pattern comparisons on the ICP’s one or four megabytes of DRAM. The patterns are:

- Alternating bits
- Checkerboard with lookahead

- Unique address check
- All ones with zeros lookahead
- All zeros with lookahead using read-modify-write (RMW) cycles

### **6.1.3 68901 Multi-function Peripheral (MFP)**

Subtests performed by the MFP are:

- Write/read/compare of the MFP local registers
- Countdown by timers A and B
- Interrupt generation by timers A and B
- Interrupt generation by the software timer

### **6.1.4 VMEbus Slave Interface (VSI)**

Subtests performed on the VSI are:

- Mailbox registers write/read/compare
- Mailbox unique address check
- Mailbox registers RMW cycle check

### **6.1.5 EEPROM**

The EEPROM is tested by performing ten read cycles of locations zero and two of the EEPROM. In order for the test to pass, the values read must be 0xCAFE and 0xF00D, respectively.

### **6.1.6 DMA Controller**

The DMA controller is verified by the following subtests:

- DMA controller command check
- DMA controller interrupt check
- Transfer count registers check



---

<b>Chapter</b> <b>7</b>	<b>Boot Load Procedure</b>
----------------------------	----------------------------

The ICP PROM contains a boot loading program that downloads code and data from the Freeway server CPU to the ICP’s RAM. This chapter describes the interface between the boot loader and the Freeway server CPU. In the following sections, the Freeway server CPU is referred to as the “host.”

### 7.1 Download Message Format

The boot loader, which resides in PROM on the ICP, communicates with the Freeway LAN CPU by defining the ICP’s 16 byte-wide mailboxes as a protocol exchange region (PXR). The PXR occupies the first twelve mailboxes, and is defined in [Table 7–1](#).

**Table 7–1:** Protocol Exchange Region

Mailbox Number(s)	Field Name	Description
0	h_cmd	Host command register
1	i_cmd	ICP command register
2–3	h_bytes	Byte count
4–7	h_iaddr	Load or execution address
8–11	h_haddr	Host buffer address

The ICP writes function codes to the i\_cmd field, and the host writes function codes to the h\_cmd field. The host must clear the i\_cmd field after reading a value from it, indicating to the ICP that it may write another value to the field. Likewise, the ICP clears the h\_cmd field after it reads a value written by the host. The host must not write another value to the h\_cmd field until it has been cleared by the ICP.

The following function codes are written to the `h_cmd` field by the host processor:

Function	Value (hex)
Download ready	10
Write block	04
Init procedure	08

The following function codes are written to the `i_cmd` field by the ICP:

Function	Value (hex)
Download request	80
Acknowledge (ACK)	04
Negative acknowledge (NAK)	10

The remaining fields of the PXR are always written by the host and read by the ICP. For a particular function, these fields should be filled in before writing the function code to the `h_cmd` field. The `h_bytes` field is a 16-bit value with the high-order byte in mailbox 2 and the low-order byte in mailbox 3. The `h_iaddr` and `h_haddr` fields are each 32 bits, with the high-order byte in the lowest-numbered mailbox (4 or 8) and the low-order byte in the highest-numbered mailbox (7 or 11).

## 7.2 Download Procedure

On power-on or reset, the self-test diagnostics execute and, on completion, pass control to the boot loader. The boot loader (which is not interrupt driven) initializes and clears the mailboxes, then begins polling the `h_cmd` field of the PXR, waiting for a `download ready` function code to be stored in the field by the host. When `download ready` is received, the boot loader acknowledges the host by storing an `ACK` function code in the `i_cmd` field.

Before beginning the download, the host should reset the ICP to ensure that the system is in a known state and that the boot loader is running. To reset the ICP, write the value `0xAA` to the software reset register at offset `0x3D` in the 512-byte region of VMEbus

address space decoded by the VSI (see [Section 5.9 on page 52](#)). After resetting the ICP, the host driver must wait for the mailboxes to appear on the VMEbus. This must be done in such a way that the host system does not crash with a bus error. For example, SunOS provides a subroutine called `peekc` which takes an address as input and returns an error code if the address is invalid. Simpact's SunOS host driver calls `peekc` periodically with the address of the first mailbox until no error is returned.

Next, the host must issue a `download ready` command to provide the ICP with a set of parameters to initialize the VMEbus master interface and interrupter. These parameters must be stored in the PXR before issuing the command. The fields of the PXR have a special definition used for this command only, as shown in [Table 7–2](#). After setting the parameters, the host writes the `download ready` command code to the `h_cmd` field, and waits for an acknowledgment from the ICP (an ACK in the `i_cmd` field).

**Table 7–2:** Protocol Exchange Region for Download Ready Command

Mailbox Number	Field Name	Description
0	<code>h_cmd</code>	Host command register
1	<code>i_cmd</code>	ICP command register
2	<code>h_vec</code>	Interrupt vector
3	<code>h_lev</code>	Interrupt level
4	<code>h_mode</code>	Mode (refer to General Control Register 0, <a href="#">page 58</a> )
5	<code>h_amod</code>	Address modifier (refer to General Control Register 1, <a href="#">page 59</a> )

When the host has read the ACK function code from the `i_cmd` field, the boot loader writes a `download request` function code to the `i_cmd` field.

On receipt of the `download request`, the host stores the address of a block of code/data in the `h_haddr` field of the PXR, stores the onboard transfer address for the block in the `h_iaddr` field, and stores the byte count in the `h_count` field. The host then stores a `write block` function code in the `h_cmd` field.


On receipt of a `wri te` block command, the boot loader validates the load address specified by the host in the PXR and, if it is a valid RAM address, transfers the block of data from the specified host address to the load address and stores an ACK function code in the `i_cmd` field to acknowledge completion of the operation. The boot loader stores a NAK function code in the `i_cmd` field if the load address is invalid. When the host has read the ACK or NAK, the boot loader stores another download request function code in the `i_cmd` field.

On receipt of the `down load` request, the host prepares the next block of code/data and issues another `wri te` block command. This process continues until the final block has been transferred to the ICP.

When it receives the next `down load` request from the boot loader, the host uses the `ini t` procedure function code to begin execution of the downloaded code. For this function, the host must write the onboard execution address to the `h_i addr` field of the PXR and store an `ini t` procedure function code in the `h_cmd` field. (The `h_haddr` and `h_count` fields are not used.)

On receipt of an `ini t` procedure command, the boot loader validates the execution address that the host has stored in the PXR and, if it is a valid RAM address, stores an ACK function code in the `i_cmd` field. (If the address is invalid, a NAK is returned and processing of the command is terminated.) After writing the ACK, the boot loader waits for the host to read the `i_cmd` field and then makes a subroutine call to the specified address. In general, this subroutine call initializes the run-time system and never returns to the boot loader. However, the `ini t` procedure command can be used to execute a subroutine that does, in fact, return on completion. In this case, the boot loader will then send another `down load` request to the host, and download operations may continue. Note that the host will receive an ACK completing the operation whether or not the subroutine call returns to the boot loader.

Figure 7–1 illustrates a typical download sequence.



0300

**Figure 7-1:** Typical Download Sequence



# 16-port EIA-232 Electrical Interface Module

This Electrical Interface Module is referred to as EIMD. It is a 16-port daughterboard for the ICP base board and supports 16-port EIA-232 operation.

## A.1 Modem Clocks

EIMD supports the full functionality of the serial communications controller (SCC) with respect to external and internal clock sources.

### A.1.1 Receive Clock Inputs

The Receive Clock (RxCA and RxCB) pins are always inputs to the SCC. RxC inputs 0–15 are connected to the RxCA (even-numbered ports) and RxCB (odd-numbered ports) inputs of the SCCs.

### A.1.2 Transmit Clock Inputs/Outputs

The Transmit Clock (TxCA and TxCB) pins can be programmed as either inputs to or outputs from the SCC. To support this bidirectional interface, EIMD is equipped with both a driver and a receiver for this line.

The TxC0–15 drivers and receivers are selected using the jumper settings shown in [Table A–1 on page 76](#). Refer also to [Figure A–1 on page 77](#).

**Caution**


You must also set the jumper on the distribution panel and use the protocol software to configure the desired clocking.

---

**Table A-1:** Clock Jumper Settings for 16-port EIA-232

Port	Transmit Clock Source <sup>a</sup>	
	Internal (DTE)	External (DCE)
0	K9 1-2	K1 1-2
1	K10 1-2	K2 1-2
2	K11 1-2	K3 1-2
3	K12 1-2	K4 1-2
4	K13 1-2	K5 1-2
5	K14 1-2	K6 1-2
6	K15 1-2	K7 1-2
7	K16 1-2	K8 1-2
8	K25 1-2	K17 1-2
9	K26 1-2	K18 1-2
10	K27 1-2	K19 1-2
11	K28 1-2	K20 1-2
12	K29 1-2	K21 1-2
13	K30 1-2	K22 1-2
14	K31 1-2	K23 1-2
15	K32 1-2	K24 1-2

<sup>a</sup> Only one jumper per port



- Notes:
1. All settings from the factory are external.
  2. This example shows two internal and two external clock jumper settings.
  3. You must also set the distribution panel jumpers to match these settings.

2221

**Figure A-1:** 16-port EIA-232 Clock Jumper Settings

## A.2 Z85C30 or Z85230 Serial Communications Controller

EIMD has eight Z85C30 (ICP6000R) or Z85230 (ICP6000X) serial communications controllers (SCCs). Each SCC implements two communications ports.

### A.2.1 SCC Register Access

Access to the SCC data and command registers is made using the addresses shown in [Table 5–1 on page 41](#). Hardware protection is provided so that the SCC “write recovery” limits are automatically met.

### A.2.2 SCC Timebase

The SCCs are driven from a 7.3728 MHz (ICP6000R) or 14.7456 (ICP6000X) MHz peripheral clock signal, PCLK.

### A.2.3 SCC DMA


Each communications port is assigned two DMA channels, one for transmitting and the other for receiving. [Section 5.8 on page 50](#) describes the setup and operation of the DMA controller.

## A.3 Modem Control

EIMD supports five modem control signals: three inputs (Data Set Ready, Clear To Send, and Data Carrier Detect) and two outputs (Data Terminal Ready and Request To Send). These modem controls are connected to either the SCC or to a dedicated hardware register.

### A.3.1 Data Set Ready

The Data Set Ready (DSR) inputs 0–15 are connected to a discrete hardware register and are read using two address decodes as shown in [Figure A–2 on page 79](#).



**Figure A-2:** Data Set Ready Address Decodes

### A.3.2 Clear To Send

The Clear To Send (CTS) inputs 0–15 are connected to the CTSA (even-numbered ports) and CTSB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### A.3.3 Data Carrier Detect


The Data Carrier Detect (DCD) inputs 0–15 are connected to the DCDA (even-numbered ports) and DCDB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### A.3.4 Data Terminal Ready

The Data Terminal Ready (DTR) outputs 0–15 are connected to a discrete hardware register and are written using two address decodes as shown in [Figure A-3 on page 80](#).

### A.3.5 Request To Send


The Request To Send (RTS) outputs 0–15 are connected to the RTSA (even-numbered ports) and RTSB (odd-numbered ports) outputs of the SCCs and are written using the appropriate SCC accesses.



**Figure A-3:** Data Terminal Ready Address Decodes

## A.4 Connector Pin Assignments


The ICP is connected to the distribution panel by two cables. Each cable has a high-density 80-pin connector on the ICP end and two 40-pin connectors on the distribution panel end. [Figure A-4](#) shows the orientation of the pins on the ICP connector. The connector nearer the console port (debug port) is designated B, and the connector farther away is designated A. See [Figure 5-7 on page 61](#) for the location of the connectors.



0297

**Figure A-4:** Front View of 80-pin Connector on the ICP

Table A-2 on page 82 shows the signal mapping for the cables that connect the ICP to the distribution panel. Figure A-5 shows the EIA-232 connector with the supported signals, their proper signal names, and the three-letter mnemonics used in Table A-2.



2564

\* Jumpers on the distribution panel and the ICP determine which of these pins is connected to the SCC.

Figure A-5: EIA-232 Interface

**Table A-2:** Pin Assignments for 16-port EIA-232 Cable Connectors

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
A-1	J8-1	00	GND	A-41	J9-1	04	GND
A-2	J8-2	00	TXD	A-42	J9-2	04	TXD
A-3	J8-3	00	RTS	A-43	J9-3	04	RTS
A-4	J8-4	00	RXD	A-44	J9-4	04	RXD
A-5	J8-5	00	CTS	A-45	J9-5	04	CTS
A-6	J8-6	00	DCD	A-46	J9-6	04	DCD
A-7	J8-7	00	DTR	A-47	J9-7	04	DTR
A-8	J8-8	00	RXC	A-48	J9-8	04	RXC
A-9	J8-9	00	DSR	A-49	J9-9	04	DSR
A-10	J8-10	00	TXC	A-50	J9-10	04	TXC
A-11	J8-11	01	GND	A-51	J9-11	05	GND
A-12	J8-12	01	TXD	A-52	J9-12	05	TXD
A-13	J8-13	01	RTS	A-53	J9-13	05	RTS
A-14	J8-14	01	RXD	A-54	J9-14	05	RXD
A-15	J8-15	01	CTS	A-55	J9-15	05	CTS
A-16	J8-16	01	DCD	A-56	J9-16	05	DCD
A-17	J8-17	01	DTR	A-57	J9-17	05	DTR
A-18	J8-18	01	RXC	A-58	J9-18	05	RXC
A-19	J8-19	01	DSR	A-59	J9-19	05	DSR
A-20	J8-20	01	TXC	A-60	J9-20	05	TXC
A-21	J8-21	02	GND	A-61	J9-21	06	GND
A-22	J8-22	02	TXD	A-62	J9-22	06	TXD
A-23	J8-23	02	RTS	A-63	J9-23	06	RTS
A-24	J8-24	02	RXD	A-64	J9-24	06	RXD
A-25	J8-25	02	CTS	A-65	J9-25	06	CTS
A-26	J8-26	02	DCD	A-66	J9-26	06	DCD
A-27	J8-27	02	DTR	A-67	J9-27	06	DTR
A-28	J8-28	02	RXC	A-68	J9-28	06	RXC
A-29	J8-29	02	DSR	A-69	J9-29	06	DSR
A-30	J8-30	02	TXC	A-70	J9-30	06	TXC
A-31	J8-31	03	GND	A-71	J9-31	07	GND
A-32	J8-32	03	TXD	A-72	J9-32	07	TXD
A-33	J8-33	03	RTS	A-73	J9-33	07	RTS
A-34	J8-34	03	RXD	A-74	J9-34	07	RXD
A-35	J8-35	03	CTS	A-75	J9-35	07	CTS
A-36	J8-36	03	DCD	A-76	J9-36	07	DCD
A-37	J8-37	03	DTR	A-77	J9-37	07	DTR
A-38	J8-38	03	RXC	A-78	J9-38	07	RXC
A-39	J8-39	03	DSR	A-79	J9-39	07	DSR
A-40	J8-40	03	TXC	A-80	J9-40	07	TXC

**Table A-2:** Pin Assignments for 16-port EIA-232 Cable Connectors (*Cont'd*)

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
B-1	J8-1	08	GND	B-41	J9-1	12	GND
B-2	J8-2	08	TXD	B-42	J9-2	12	TXD
B-3	J8-3	08	RTS	B-43	J9-3	12	RTS
B-4	J8-4	08	RXD	B-44	J9-4	12	RXD
B-5	J8-5	08	CTS	B-45	J9-5	12	CTS
B-6	J8-6	08	DCD	B-46	J9-6	12	DCD
B-7	J8-7	08	DTR	B-47	J9-7	12	DTR
B-8	J8-8	08	RXC	B-48	J9-8	12	RXC
B-9	J8-9	08	DSR	B-49	J9-9	12	DSR
B-10	J8-10	08	TXC	B-50	J9-10	12	TXC
B-11	J8-11	09	GND	B-51	J9-11	13	GND
B-12	J8-12	09	TXD	B-52	J9-12	13	TXD
B-13	J8-13	09	RTS	B-53	J9-13	13	RTS
B-14	J8-14	09	RXD	B-54	J9-14	13	RXD
B-15	J8-15	09	CTS	B-55	J9-15	13	CTS
B-16	J8-16	09	DCD	B-56	J9-16	13	DCD
B-17	J8-17	09	DTR	B-57	J9-17	13	DTR
B-18	J8-18	09	RXC	B-58	J9-18	13	RXC
B-19	J8-19	09	DSR	B-59	J9-19	13	DSR
B-20	J8-20	09	TXC	B-60	J9-20	13	TXC
B-21	J8-21	10	GND	B-61	J9-21	14	GND
B-22	J8-22	10	TXD	B-62	J9-22	14	TXD
B-23	J8-23	10	RTS	B-63	J9-23	14	RTS
B-24	J8-24	10	RXD	B-64	J9-24	14	RXD
B-25	J8-25	10	CTS	B-65	J9-25	14	CTS
B-26	J8-26	10	DCD	B-66	J9-26	14	DCD
B-27	J8-27	10	DTR	B-67	J9-27	14	DTR
B-28	J8-28	10	RXC	B-68	J9-28	14	RXC
B-29	J8-29	10	DSR	B-69	J9-29	14	DSR
B-30	J8-30	10	TXC	B-70	J9-30	14	TXC
B-31	J8-31	11	GND	B-71	J9-31	15	GND
B-32	J8-32	11	TXD	B-72	J9-32	15	TXD
B-33	J8-33	11	RTS	B-73	J9-33	15	RTS
B-34	J8-34	11	RXD	B-74	J9-34	15	RXD
B-35	J8-35	11	CTS	B-75	J9-35	15	CTS
B-36	J8-36	11	DCD	B-76	J9-36	15	DCD
B-37	J8-37	11	DTR	B-77	J9-37	15	DTR
B-38	J8-38	11	RXC	B-78	J9-38	15	RXC
B-39	J8-39	11	DSR	B-79	J9-39	15	DSR
B-40	J8-40	11	TXC	B-80	J9-40	15	TXC



## 8-port MIL-STD-188C and 8-port EIA-232 Electrical Interface Module

The Electrical Interface Modules referred to as EIME or EIMF are 8-port daughterboards for the ICP base board and support MIL-STD-188C or EIA-232 operation, respectively. Because their jumper locations and pinouts are identical, and their functionality is very similar, they are both discussed in this appendix.

### B.1 Modem Clocks

EIME and EIMF support the full functionality of the serial communications controller (SCC) with respect to external and internal clock sources.

#### B.1.1 Receive Clock Inputs

The Receive Clock (RxCA and RxCB) pins are always inputs to the SCC. RxC inputs 0–7 are connected to the RxCA (even-numbered ports) and RxCB (odd-numbered ports) inputs of the SCCs.

#### B.1.2 Transmit Clock Inputs and Outputs

The Transmit Clock (TxCA and TxCB) pins can be programmed as either inputs to or outputs from the SCC. To support this bidirectional interface, EIME and EIMF are equipped with both a driver and a receiver for this line.

The TxC0–7 drivers and receivers are selected using the jumper settings shown in [Table B–1 on page 86](#). Refer also to [Figure B–1 on page 87](#).

**Caution**

You must also set the jumper on the distribution panel and use the protocol software to configure the desired clocking.

---

**Table B–1:** Clock Jumper Settings for 8-port MIL-STD-188C or EIA-232

Port	Transmit Clock Source <sup>a</sup>	
	Internal (DTE)	External (DCE)
0	K8 1-2	K16 1-2
1	K7 1-2	K15 1-2
2	K6 1-2	K14 1-2
3	K5 1-2	K13 1-2
4	K4 1-2	K12 1-2
5	K3 1-2	K11 1-2
6	K2 1-2	K10 1-2
7	K1 1-2	K9 1-2


<sup>a</sup> Only one jumper per port

## B.2 Z85C30 or Z85230 Serial Communications Controller

EIME and EIMF have four Z85C30 (ICP6000R) or Z85230 (ICP6000X) serial communications controllers (SCCs). Each SCC implements two communications ports.

### B.2.1 SCC Register Access

Access to the SCC data and command registers is made using the addresses shown in [Table 5–1 on page 41](#). Hardware protection is provided so that the SCC “write recovery” limits are automatically met.



- Notes:
1. All settings from the factory are external.
  2. This example shows one internal and seven external clock jumper settings.
  3. You must also set the distribution panel jumpers to match these settings.

**Figure B-1:** 8-port MIL-STD-188C or EIA-232 Clock Jumper Settings

### **B.2.2 SCC Timebase**

The SCCs are driven from a 7.3728 MHz (ICP6000R) or 14.7456 MHz (ICP6000X) peripheral clock signal, PCLK.

### **B.2.3 SCC DMA**

Each communications port is assigned two DMA channels, one for transmitting and the other for receiving. [Section 5.8 on page 50](#) describes the setup and operation of the DMA controller.

## **B.3 Transmit/Receive Polarity**

As required by MIL-STD-188C, EIME is equipped with jumper options to select the polarity of the transmit and receive data signals. These jumpers are set as shown in [Table B-2 on page 89](#).

EIMF is configured for EIA-232 operation. The jumper positions are permanently soldered into inverting mode.

## **B.4 Driver Supply Voltages**

As required by MIL-STD-188C, EIME is equipped with Zener diodes to reduce the voltage supplied to the line driver devices from the +12V and -12V supplied by the VMEbus to other levels.

EIMF has no Zener diodes and utilizes the full +12V and -12V levels.

## **B.5 Interface Driver Waveshaping**

As required by MIL-STD-188C, EIME is equipped for the installation of waveshaping capacitors used in conjunction with the 1488 line drivers. The capacitor locations for each output signal are shown in [Table B-3 on page 90](#). No capacitors are installed in the standard factory version of EIME or in EIMF.

**Table B–2:** Jumper Settings for 8-port MIL-STD-188C

<b>Function<sup>a</sup></b>	<b>Inverted</b>	<b>Not Inverted</b>
RXD00	K32 1-2	K32 2-3
TXD00	K24 2-3	K24 1-2
RXD01	K31 1-2	K31 2-3
TXD01	K23 2-3	K23 1-2
RXD02	K30 1-2	K30 2-3
TXD02	K22 2-3	K22 1-2
RXD03	K29 1-2	K29 2-3
TXD03	K21 2-3	K21 1-2
RXD04	K28 1-2	K28 2-3
TXD04	K20 2-3	K20 1-2
RXD05	K27 1-2	K27 2-3
TXD05	K19 2-3	K19 1-2
RXD06	K26 1-2	K26 2-3
TXD06	K18 2-3	K18 1-2
RXD07	K25 1-2	K25 2-3
TXD07	K17 2-3	K17 1-2

<sup>a</sup> One jumper per signal

**Table B-3:** Capacitor Locations for Waveshaping

<b>Signal Name</b>	<b>Capacitor Location</b>	<b>Signal Name</b>	<b>Capacitor Location</b>
DTR00	C29	DTR04	C39
TXD00	C9	TXD04	C19
RTS00	C11	RTS04	C21
TXC00	C4	TXC04	C12
DTR01	C31	DTR05	C41
TXD01	C3	TXD05	C10
RTS01	C43	RTS05	C33
TXC01	C45	TXC05	C35
DTR02	C22	DTR06	C32
TXD02	C13	TXD06	C23
RTS02	C15	RTS06	C25
TXC02	C6	TXC06	C16
DTR03	C20	DTR07	C30
TXD03	C5	TXD07	C14
RTS03	C36	RTS07	C26
TXC03	C34	TXC07	C24

## **B.6 Interface Receiver Response Control**

As required by MIL-STD-188C, EIME is equipped for the installation of response control capacitors used in conjunction with 1489 line receivers. The capacitor locations for each input signal are shown in [Table B-4 on page 92](#). No capacitors are installed in the factory standard version of EIME or in EIMF.

## **B.7 Modem Control**

EIME and EIMF support five modem control signals: three inputs (Data Set Ready, Clear To Send, and Data Carrier Detect) and two outputs (Data Terminal Ready and Request To Send). These modem controls are connected to either the SCC or to a dedicated hardware register.

### **B.7.1 Data Set Ready**

The Data Set Ready (DSR) inputs 0–7 are connected to a discrete hardware register and are read using two address decodes as shown in [Figure B-2 on page 93](#).

### **B.7.2 Clear To Send**


The Clear To Send (CTS) inputs 0–7 are connected to the CTSA (even-numbered ports) and CTSB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### **B.7.3 Data Carrier Detect**

The Data Carrier Detect (DCD) inputs 0–7 are connected to the DCDA (even-numbered ports) and DCDB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

**Table B-4:** Capacitor Locations for Response Control


<b>Signal Name</b>	<b>Capacitor Location</b>	<b>Signal Name</b>	<b>Capacitor Location</b>
DSR00	C104	DSR04	C100
RXD00	C79	RXD04	C49
CTS00	C81	CTS04	C51
RXC00	C76	RXC04	C42
DCD00	C75	DCD04	C40
TXC00	C53	TXC04	C69
DSR01	C105	DSR05	C102
RXD01	C83	RXD05	C59
CTS01	C85	CTS05	C61
RXC01	C82	RXC05	C52
DCD01	C80	DCD05	C50
TXC01	C55	TXC05	C64
DSR02	C103	DSR06	C97
RXD02	C89	RXD06	C67
CTS02	C91	CTS06	C69
RXC02	C86	RXC06	C62
DCD02	C84	DCD06	C60
TXC02	C46	TXC06	C16
DSR03	C101	DSR07	C95
RXD03	C94	RXD07	C73
CTS03	C96	CTS07	C74
RXC03	C92	RXC07	C70
DCD03	C90	DCD07	C68
TXC03	C44	TXC07	C54



**Figure B-2:** Data Set Ready Address Decodes

#### B.7.4 Data Terminal Ready

The Data Terminal Ready (DTR) outputs 0–7 are connected to a discrete hardware register and are written using a single address decode as shown in [Figure B-3](#).



**Figure B-3:** Data Terminal Ready Address Decode


#### B.7.5 Request To Send

The Request To Send (RTS) outputs 0–7 are connected to the RTSA (even-numbered ports) and RTSB (odd-numbered ports) outputs of the SCCs and are written using the appropriate SCC accesses.

## B.8 Connector Pin Assignments

The ICP is connected to the distribution panel by a cable that has a high-density 80-pin connector on the ICP end and two 40-pin connectors on the distribution panel end. [Figure A-4 on page 80](#) shows the orientation of the pins on the ICP connector. See [Figure 5-7 on page 61](#) for the location of the connectors. The ICP in this case has only the top 80-pin connector.

[Table B-5 on page 95](#) shows the signal mapping for the cable that connects the ICP to the distribution panel. [Figure B-4](#) shows the EIA-232 or MIL-STD-188C connector with the supported signals, their proper signal names, and the three-letter mnemonics used in [Table B-5](#).



2564

\* Jumpers on the distribution panel and the ICP determine which of these pins is connected to the SCC.

**Figure B-4:** EIA-232 or MIL-STD-188C Interface

**Table B-5:** Pin Assignments for 8-port MIL-STD-188C and EIA-232 Cable Connectors

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
A-1	J8-1	00	GND	A-41	J9-1	04	GND
A-2	J8-2	00	TXD	A-42	J9-2	04	TXD
A-3	J8-3	00	RTS	A-43	J9-3	04	RTS
A-4	J8-4	00	RXD	A-44	J9-4	04	RXD
A-5	J8-5	00	CTS	A-45	J9-5	04	CTS
A-6	J8-6	00	DCD	A-46	J9-6	04	DCD
A-7	J8-7	00	DTR	A-47	J9-7	04	DTR
A-8	J8-8	00	RXC	A-48	J9-8	04	RXC
A-9	J8-9	00	DSR	A-49	J9-9	04	DSR
A-10	J8-10	00	TXC	A-50	J9-10	04	TXC
A-11	J8-11	01	GND	A-51	J9-11	05	GND
A-12	J8-12	01	TXD	A-52	J9-12	05	TXD
A-13	J8-13	01	RTS	A-53	J9-13	05	RTS
A-14	J8-14	01	RXD	A-54	J9-14	05	RXD
A-15	J8-15	01	CTS	A-55	J9-15	05	CTS
A-16	J8-16	01	DCD	A-56	J9-16	05	DCD
A-17	J8-17	01	DTR	A-57	J9-17	05	DTR
A-18	J8-18	01	RXC	A-58	J9-18	05	RXC
A-19	J8-19	01	DSR	A-59	J9-19	05	DSR
A-20	J8-20	01	TXC	A-60	J9-20	05	TXC
A-21	J8-21	02	GND	A-61	J9-21	06	GND
A-22	J8-22	02	TXD	A-62	J9-22	06	TXD
A-23	J8-23	02	RTS	A-63	J9-23	06	RTS
A-24	J8-24	02	RXD	A-64	J9-24	06	RXD
A-25	J8-25	02	CTS	A-65	J9-25	06	CTS
A-26	J8-26	02	DCD	A-66	J9-26	06	DCD
A-27	J8-27	02	DTR	A-67	J9-27	06	DTR
A-28	J8-28	02	RXC	A-68	J9-28	06	RXC
A-29	J8-29	02	DSR	A-69	J9-29	06	DSR
A-30	J8-30	02	TXC	A-70	J9-30	06	TXC
A-31	J8-31	03	GND	A-71	J9-31	07	GND
A-32	J8-32	03	TXD	A-72	J9-32	07	TXD
A-33	J8-33	03	RTS	A-73	J9-33	07	RTS
A-34	J8-34	03	RXD	A-74	J9-34	07	RXD
A-35	J8-35	03	CTS	A-75	J9-35	07	CTS
A-36	J8-36	03	DCD	A-76	J9-36	07	DCD
A-37	J8-37	03	DTR	A-77	J9-37	07	DTR
A-38	J8-38	03	RXC	A-78	J9-38	07	RXC
A-39	J8-39	03	DSR	A-79	J9-39	07	DSR
A-40	J8-40	03	TXC	A-80	J9-40	07	TXC



# 8-port V.35 CCITT Electrical Interface Module

This Electrical Interface Module is referred to as EIGH. It is an 8-port daughterboard for the ICP base board and supports V.35 operation.

## C.1 Modem Clocks

EIGH supports the full functionality of the serial communications controller (SCC) with respect to external and internal clock sources.

### C.1.1 Receive Clock Inputs

The Receive Clock (RxCA and RxCB) pins are always inputs to the SCC. RxC inputs 0–7 are connected to the RxCA (even-numbered ports) and RxCB (odd-numbered ports) inputs of the SCCs.

### C.1.2 Transmit Clock Inputs and Outputs

The Transmit Clock (TxCA and TxCB) pins can be programmed as either inputs to or outputs from the SCC. To support this bidirectional interface, EIGH is equipped with both a driver and a receiver for this line.

The TxC0–7 drivers and receivers are selected using the jumper settings shown in [Table C–1 on page 98](#). Refer also to [Figure C–1 on page 99](#).

**Caution**

You must also use the protocol software to configure the desired clocking.

---

**Table C-1:** Clock Jumper Settings for 8-port V.35

Port	Transmit Clock Source <sup>a</sup>	
	Internal (DTE)	External (DCE)
0	K1 1-2	K1 3-4
1	K2 1-2	K2 3-4
2	K3 1-2	K3 3-4
3	K4 1-2	K4 3-4
4	K5 1-2	K5 3-4
5	K6 1-2	K6 3-4
6	K7 1-2	K7 3-4
7	K8 1-2	K8 3-4


<sup>a</sup> Only one jumper per port

## C.2 Z85C30 or Z85230 Serial Communications Controller

EIGH has four Z85C30 (ICP6000R) or Z85230 (ICP6000X) serial communications controllers (SCCs). Each SCC implements two communications ports.

### C.2.1 SCC Register Access

Access to the SCC data and command registers is made using the addresses shown in [Table 5-1 on page 41](#). Hardware protection is provided so that the SCC “write recovery” limits are automatically met.



2225

Notes:

1. All settings from the factory are external.
2. This example shows two internal and two external clock jumper settings.

**Figure C-1:** 8-port V.35 Clock Jumper Settings

### **C.2.2 SCC Timebase**

The SCCs are driven from a 7.3728 MHz (ICP6000R) or 14.7456 MHz (ICP6000X) peripheral clock signal, PCLK.

### **C.2.3 SCC DMA**

Each communications port is assigned two DMA channels, one for transmitting and the other for receiving. [Section 5.8 on page 50](#) describes the setup and operation of the DMA controller.

## **C.3 Driver Supply Voltages**

EIGH is equipped with TO-92 three-terminal regulators to reduce the available -12V to -5V as required by the V.35 differential drivers and receivers.

## **C.4 Single-ended Interface**

EIGH is equipped with 14C88 single-ended line drivers that feature internal slew rate control as required by the V.35 specification. EIGH is also equipped with 14C89 single-ended line receivers that meet the V.35 specifications without the use of external capacitors.

## **C.5 Differential Interface**

EIGH is equipped with XR-T3588 V.35 drivers and XR-T3589 V.35 receivers that are designed to meet the requirements of the V.35 specification. The differential lines are terminated externally to the drivers and receivers.


## **C.6 Modem Control**

EIGH supports seven single-ended modem control signals: four inputs (Data Set Ready, Calling Indicator, Clear To Send, and Data Carrier Detect) and three outputs (Data

Terminal Ready, Local Test, and Request To Send). These modem controls are connected to either the SCC or to dedicated hardware registers.

### C.6.1 Data Set Ready and Calling Indicator

The Data Set Ready (DSR) inputs 0–7 and Calling Indicator (CI) inputs 0–7 are connected to a discrete hardware register and are read using two address decodes as shown in [Figure C–2](#).



**Figure C–2:** Data Set Ready and Calling Indicator Address Decodes

### C.6.2 Clear To Send


The Clear To Send (CTS) inputs 0–7 are connected to the CTSA (even-numbered ports) and CTSB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### C.6.3 Received Line Signal Detector

The Received Line Signal Detector (RLSD) inputs 0–7 are connected to the RLSDA (even-numbered ports) and RLSDB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### C.6.4 Data Terminal Ready and Local Test

The Data Terminal Ready (DTR) outputs 0–7 and Local Test (LT) outputs 0–7 are connected to a discrete hardware register and are written using two address decodes as shown in [Figure C–3](#).



**Figure C–3:** Data Terminal Ready and Local Test Address Decodes

### C.6.5 Request To Send


The Request To Send (RTS) outputs 0–7 are connected to the RTSA (even-numbered ports) and RTSB (odd-numbered ports) outputs of the SCCs and are written using the appropriate SCC accesses.

## C.7 Connector Pin Assignments

The ICP is connected to the distribution panel by two cables. Each cable has a high-density 80-pin connector on the ICP end and two 40-pin connectors on the distribution panel end. [Figure A–4 on page 80](#) shows the orientation of the pins on the ICP connector. The connector nearer the console port (debug port) is designated B, and the connector farther away is designated A. See [Figure 5–7 on page 61](#) for the location of the connectors.

Adapter cables are used to map the 25-pin D-conconnector pinout on a distribution panel to the V.35 connector shown in [Figure C-4](#).

[Table C-2](#) on page 104 shows the signal mapping for the cables that connects the ICP to the distribution panel. [Figure C-4](#) shows the V.35 connector with the supported signals, their proper signal names, and the mnemonics used in [Table C-2](#).



2566

Signal suffixes -A and -B refer to differential signal pairs.

**Figure C-4:** V.35 Interface

**Table C–2:** Pin Assignments for 8-port V.35 Cable Connectors

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
A-1	J8-1	00	GND	A-41	J9-1	02	GND
A-2	J8-2	00	GND	A-42	J9-2	02	GND
A-3	J8-3	00	GND	A-43	J9-3	02	GND
A-4	J8-4	00	CTS	A-44	J9-4	02	CTS
A-5	J8-5	00	RLSD	A-45	J9-5	02	RLSD
A-6	J8-6	00	DSR	A-46	J9-6	02	DSR
A-7	J8-7	00	CI	A-47	J9-7	02	CI
A-8	J8-8	00	RTS	A-48	J9-8	02	RTS
A-9	J8-9	00	LT	A-49	J9-9	02	LT
A-10	J8-10	00	DTR	A-50	J9-10	02	DTR
A-11	J8-11	00	SD-A	A-51	J9-11	02	SD-A
A-12	J8-12	00	SD-B	A-52	J9-12	02	SD-B
A-13	J8-13	00	RD-A	A-53	J9-13	02	RD-A
A-14	J8-14	00	RD-B	A-54	J9-14	02	RD-B
A-15	J8-15	00	SCR-A	A-55	J9-15	02	SCR-A
A-16	J8-16	00	SCR-B	A-56	J9-16	02	SCR-B
A-17	J8-17	00	SCTE-A	A-57	J9-17	02	SCTE-A
A-18	J8-18	00	SCTE-B	A-58	J9-18	02	SCTE-B
A-19	J8-19	00	SCT-A	A-59	J9-19	02	SCT-A
A-20	J8-20	00	SCT-B	A-60	J9-20	02	SCT-B
A-21	J8-21	01	GND	A-61	J9-21	03	GND
A-22	J8-22	01	GND	A-62	J9-22	03	GND
A-23	J8-23	01	GND	A-63	J9-23	03	GND
A-24	J8-24	01	CTS	A-64	J9-24	03	CTS
A-25	J8-25	01	RLSD	A-65	J9-25	03	RLSD
A-26	J8-26	01	DSR	A-66	J9-26	03	DSR
A-27	J8-27	01	CI	A-67	J9-27	03	CI
A-28	J8-28	01	RTS	A-68	J9-28	03	RTS
A-29	J8-29	01	LT	A-69	J9-29	03	LT
A-30	J8-30	01	DTR	A-70	J9-30	03	DTR
A-31	J8-31	01	SD-A	A-71	J9-31	03	SD-A
A-32	J8-32	01	SD-B	A-72	J9-32	03	SD-B
A-33	J8-33	01	RD-A	A-73	J9-33	03	RD-A
A-34	J8-34	01	RD-B	A-74	J9-34	03	RD-B
A-35	J8-35	01	SCR-A	A-75	J9-35	03	SCR-A
A-36	J8-36	01	SCR-B	A-76	J9-36	03	SCR-B
A-37	J8-37	01	SCTE-A	A-77	J9-37	03	SCTE-A
A-38	J8-38	01	SCTE-B	A-78	J9-38	03	SCTE-B
A-39	J8-39	01	SCT-A	A-79	J9-39	03	SCT-A
A-40	J8-40	01	SCT-B	A-80	J9-40	03	SCT-B

Table C-2: Pin Assignments for 8-port V.35 Cable Connectors (*Cont'd*)

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
B-1	J8-1	04	GND	B-41	J9-1	06	GND
B-2	J8-2	04	GND	B-42	J9-2	06	GND
B-3	J8-3	04	GND	B-43	J9-3	06	GND
B-4	J8-4	04	CTS	B-44	J9-4	06	CTS
B-5	J8-5	04	RLSD	B-45	J9-5	06	RLSD
B-6	J8-6	04	DSR	B-46	J9-6	06	DSR
B-7	J8-7	04	CI	B-47	J9-7	06	CI
B-8	J8-8	04	RTS	B-48	J9-8	06	RTS
B-9	J8-9	04	LT	B-49	J9-9	06	LT
B-10	J8-10	04	DTR	B-50	J9-10	06	DTR
B-11	J8-11	04	SD-A	B-51	J9-11	06	SD-A
B-12	J8-12	04	SD-B	B-52	J9-12	06	SD-B
B-13	J8-13	04	RD-A	B-53	J9-13	06	RD-A
B-14	J8-14	04	RD-B	B-54	J9-14	06	RD-B
B-15	J8-15	04	SCR-A	B-55	J9-15	06	SCR-A
B-16	J8-16	04	SCR-B	B-56	J9-16	06	SCR-B
B-17	J8-17	04	SCTE-A	B-57	J9-17	06	SCTE-A
B-18	J8-18	04	SCTE-B	B-58	J9-18	06	SCTE-B
B-19	J8-19	04	SCT-A	B-59	J9-19	06	SCT-A
B-20	J8-20	04	SCT-B	B-60	J9-20	06	SCT-B
B-21	J8-21	05	GND	B-61	J9-21	07	GND
B-22	J8-22	05	GND	B-62	J9-22	07	GND
B-23	J8-23	05	GND	B-63	J9-23	07	GND
B-24	J8-24	05	CTS	B-64	J9-24	07	CTS
B-25	J8-25	05	RLSD	B-65	J9-25	07	RLSD
B-26	J8-26	05	DSR	B-66	J9-26	07	DSR
B-27	J8-27	05	CI	B-67	J9-27	07	CI
B-28	J8-28	05	RTS	B-68	J9-28	07	RTS
B-29	J8-29	05	LT	B-69	J9-29	07	LT
B-30	J8-30	05	DTR	B-70	J9-30	07	DT
B-31	J8-31	05	SD-A	B-71	J9-31	07	SD-A
B-32	J8-32	05	SD-B	B-72	J9-32	07	SD-B
B-33	J8-33	05	RD-A	B-73	J9-33	07	RD-A
B-34	J8-34	05	RD-B	B-74	J9-34	07	RD-B
B-35	J8-35	05	SCR-A	B-75	J9-35	07	SCR-A
B-36	J8-36	05	SCR-B	B-76	J9-36	07	SCR-B
B-37	J8-37	05	SCTE-A	B-77	J9-37	07	SCTE-A
B-38	J8-38	05	SCTE-B	B-78	J9-38	07	SCTE-B
B-39	J8-39	05	SCT-A	B-79	J9-39	07	SCT-A
B-40	J8-40	05	SCT-B	B-80	J9-40	07	SCT-B



## **8-port EIA-422 Electrical Interface Module**

This Electrical Interface Module is referred to as EIMJ. It is an 8-port daughterboard for the ICP base board and supports both EIA-449 and EIA-530 operation.

EIMJ is equipped with 26LS31 drivers and 26LS32 receivers which are designed to meet the requirements of EIA-422. Provision is made on the EIMJ PCB for termination on all receive differential lines. The termination components are not installed on the standard factory version of the assembly.

### **D.1 Modem Clocks**

EIMJ supports the full functionality of the serial communications controller (SCC) with respect to external and internal clock sources.

#### **D.1.1 Receive Clock Inputs**

The Receive Clock (RxCA and RxCB) pins are always inputs to the SCC. RxC inputs 0–7 are connected to the RxCA (even-numbered ports) and RxCB (odd-numbered ports) inputs of the SCCs.

#### **D.1.2 Transmit Clock Inputs/Outputs**

The Transmit Clock (TxCA and TxCB) pins can be programmed as either inputs to or outputs from the SCC. To support this bidirectional interface, EIMJ is equipped with both a driver and a receiver for this line.

The TxCO–7 drivers and receivers are selected using the jumper settings shown in [Table D–1](#). Refer also to [Figure D–1 on page 109](#).

---

**Caution**

You must also use the protocol software to configure the desired clocking.

---

**Table D–1:** Clock Jumper Settings for 8-port EIA-422

Port	Transmit Clock Source <sup>a</sup>	
	Internal (DTE)	External (DCE)
0	K1 1-2	K1 3-4
1	K2 1-2	K2 3-4
2	K3 1-2	K3 3-4
3	K4 1-2	K4 3-4
4	K5 1-2	K5 3-4
5	K6 1-2	K6 3-4
6	K7 1-2	K7 3-4
7	K8 1-2	K8 3-4


<sup>a</sup> Only one jumper per port

## D.2 Z85C30 or Z85230 Serial Communications Controller

EIMJ has four Z85C30 (ICP6000R) or Z85230 (ICP6000X) serial communications controllers (SCCs). Each SCC implements two communications ports.

### D.2.1 SCC Register Access

Access to the SCC data and command registers is made using the addresses shown in [Table 5–1 on page 41](#). Hardware protection is provided so that the SCC “write recovery” limits are automatically met.



Notes:

1. All settings from the factory are external.
2. This example shows two internal and two external clock jumper settings.

**Figure D-1:** 8-port EIA-422 Clock Jumper Settings

## D.2.2 SCC Timebase

The SCCs are driven from a 7.3728 MHz (ICP6000R) or 14.7456 MHz (ICP6000X) peripheral clock signal, PCLK.

## D.2.3 SCC DMA

Each communications port is assigned two DMA channels, one for transmitting and one for receiving. [Section 5.8 on page 50](#) describes the setup and operation of the DMA controller.

## D.3 Modem Control

EIMJ supports four differential modem control signals: two inputs (Clear To Send and Receiver Ready) and two outputs (Terminal Ready and Request To Send). These modem controls are connected to either the SCC or to dedicated hardware registers.

### D.3.1 Clear To Send

The Clear To Send (CS) inputs 0–7 are connected to the CTSA (even-numbered ports) and CTSB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### D.3.2 Receiver Ready

The Receiver Ready (RR) inputs 0–7 are connected to the DCDA (even-numbered ports) and DCDB (odd-numbered ports) inputs of the SCCs and are read using the appropriate SCC accesses.

### D.3.3 Terminal Ready

The Terminal Ready (TR) outputs 0–7 are connected to a discrete hardware register and are written using a single address decode as shown in [Figure D–2 on page 111](#).

Address: 60000022, write-only

7	6	5	4	3	2	1	0
TR7	TR6	TR5	TR4	TR3	TR2	TR1	TR0

**Figure D-2:** Terminal Ready Address Decode


### D.3.4 Request To Send

The Request To Send (RS) outputs 0–7 are connected to the RTSA (even-numbered ports) and RTSB (odd-numbered ports) outputs of the SCCs and are written using the appropriate SCC accesses.

## D.4 Connector Pin Assignments


The ICP is connected to the distribution panel by two cables. Each cable has a high-density 80-pin connector on the ICP end and two 40-pin connectors on the distribution panel end. [Figure A-4 on page 80](#) shows the orientation of the pins on the ICP connector. The connector nearer the console port (debug port) is designated B, and the connector farther away is designated A. See [Figure 5-7 on page 61](#) for the location of the connectors.

[Table D-2 on page 114](#) shows the signal mapping for the cables that connect the ICP to either the EIA-449 or the EIA-530 distribution panel. [Figure D-3 on page 112](#) shows the EIA-449 connector with the supported signals, their proper signal names, and the mnemonics used in [Table D-2](#). [Figure D-4 on page 113](#) shows the same for the EIA-530 connector.



2565

**Figure D-3:** EIA-449 Interface



2610

**Figure D-4:** EIA-530 Interface

**Table D–2: Pin Assignments for 8-port EIA-422 Cable Connectors**

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
A-1	J8-1	00	SG	A-41	J9-1	02	SG
A-2	J8-2	00	SG	A-42	J9-2	02	SG
A-3	J8-3	00	RD-B	A-43	J9-3	02	RD-B
A-4	J8-4	00	RD-A	A-44	J9-4	02	RD-A
A-5	J8-5	00	RT-B	A-45	J9-5	02	RT-B
A-6	J8-6	00	RT-A	A-46	J9-6	02	RT-A
A-7	J8-7	00	CS-B	A-47	J9-7	02	CS-B
A-8	J8-8	00	CS-A	A-48	J9-8	02	CS-A
A-9	J8-9	00	RR-B	A-49	J9-9	02	RR-B
A-10	J8-10	00	RR-A	A-50	J9-10	02	RR-A
A-11	J8-11	00	ST-B	A-51	J9-11	02	ST-B
A-12	J8-12	00	ST-A	A-52	J9-12	02	ST-A
A-13	J8-13	00	SD-B	A-53	J9-13	02	SD-B
A-14	J8-14	00	SD-A	A-54	J9-14	02	SD-A
A-15	J8-15	00	RS-B	A-55	J9-15	02	RS-B
A-16	J8-16	00	RS-A	A-56	J9-16	02	RS-A
A-17	J8-17	00	TR-B	A-57	J9-17	02	TR-B
A-18	J8-18	00	TR-A	A-58	J9-18	02	TR-A
A-19	J8-19	00	TT-B	A-59	J9-19	02	TT-B
A-20	J8-20	00	TT-A	A-60	J9-20	02	TT-A
A-21	J8-21	01	SG	A-61	J9-21	03	SG
A-22	J8-22	01	SG	A-62	J9-22	03	SG
A-23	J8-23	01	RD-B	A-63	J9-23	03	RD-B
A-24	J8-24	01	RD-A	A-64	J9-24	03	RD-A
A-25	J8-25	01	RT-B	A-65	J9-25	03	RT-B
A-26	J8-26	01	RT-A	A-66	J9-26	03	RT-A
A-27	J8-27	01	CS-B	A-67	J9-27	03	CS-B
A-28	J8-28	01	CS-A	A-68	J9-28	03	CS-A
A-29	J8-29	01	RR-B	A-69	J9-29	03	RR-B
A-30	J8-30	01	RR-A	A-70	J9-30	03	RR-A
A-31	J8-31	01	ST-B	A-71	J9-31	03	ST-B
A-32	J8-32	01	ST-A	A-72	J9-32	03	ST-A
A-33	J8-33	01	SD-B	A-73	J9-33	03	SD-B
A-34	J8-34	01	SD-A	A-74	J9-34	03	SD-A
A-35	J8-35	01	RS-B	A-75	J9-35	03	RS-B
A-36	J8-36	01	RS-A	A-76	J9-36	03	RS-A
A-37	J8-37	01	TR-B	A-77	J9-37	03	TR-B
A-38	J8-38	01	TR-A	A-78	J9-38	03	TR-A
A-39	J8-39	01	TT-B	A-79	J9-39	03	TT-B
A-40	J8-40	01	TT-A	A-80	J9-40	03	TT-A

Table D-2: Pin Assignments for 8-port EIA-422 Cable Connectors (Cont'd)

80-pin Connector	40-pin Connector	Port	Signal	80-pin Connector	40-pin Connector	Port	Signal
B-1	J8-1	04	SG	B-41	J9-1	06	SG
B-2	J8-2	04	SG	B-42	J9-2	06	SG
B-3	J8-3	04	RD-B	B-43	J9-3	06	RD-B
B-4	J8-4	04	RD-A	B-44	J9-4	06	RD-A
B-5	J8-5	04	RT-B	B-45	J9-5	06	RT-B
B-6	J8-6	04	RT-A	B-46	J9-6	06	RT-A
B-7	J8-7	04	CS-B	B-47	J9-7	06	CS-B
B-8	J8-8	04	CS-A	B-48	J9-8	06	CS-A
B-9	J8-9	04	RR-B	B-49	J9-9	06	RR-B
B-10	J8-10	04	RR-A	B-50	J9-10	06	RR-A
B-11	J8-11	04	ST-B	B-51	J9-11	06	ST-B
B-12	J8-12	04	ST-A	B-52	J9-12	06	ST-A
B-13	J8-13	04	SD-B	B-53	J9-13	06	SD-B
B-14	J8-14	04	SD-A	B-54	J9-14	06	SD-A
B-15	J8-15	04	RS-B	B-55	J9-15	06	RS-B
B-16	J8-16	04	RS-A	B-56	J9-16	06	RS-A
B-17	J8-17	04	TR-B	B-57	J9-17	06	TR-B
B-18	J8-18	04	TR-A	B-58	J9-18	06	TR-A
B-19	J8-19	04	TT-B	B-59	J9-19	06	TT-B
B-20	J8-20	04	TT-A	B-60	J9-20	06	TT-A
B-21	J8-21	05	SG	B-61	J9-21	07	SG
B-22	J8-22	05	SG	B-62	J9-22	07	SG
B-23	J8-23	05	RD-B	B-63	J9-23	07	RD-B
B-24	J8-24	05	RD-A	B-64	J9-24	07	RD-A
B-25	J8-25	05	RT-B	B-65	J9-25	07	RT-B
B-26	J8-26	05	RT-A	B-66	J9-26	07	RT-A
B-27	J8-27	05	CS-B	B-67	J9-27	07	CS-B
B-28	J8-28	05	CS-A	B-68	J9-28	07	CS-A
B-29	J8-29	05	RR-B	B-69	J9-29	07	RR-B
B-30	J8-30	05	RR-A	B-70	J9-30	07	RR-A
B-31	J8-31	05	ST-B	B-71	J9-31	07	ST-B
B-32	J8-32	05	ST-A	B-72	J9-32	07	ST-A
B-33	J8-33	05	SD-B	B-73	J9-33	07	SD-B
B-34	J8-34	05	SD-A	B-74	J9-34	07	SD-A
B-35	J8-35	05	RS-B	B-75	J9-35	07	RS-B
B-36	J8-36	05	RS-A	B-76	J9-36	07	RS-A
B-37	J8-37	05	TR-B	B-77	J9-37	07	TR-B
B-38	J8-38	05	TR-A	B-78	J9-38	07	TR-A
B-39	J8-39	05	TT-B	B-79	J9-39	07	TT-B
B-40	J8-40	05	TT-A	B-80	J9-40	07	TT-A



# Configuration Options

ICP configuration takes place on two levels:

**Software-programmable Configuration Options:** These options, described in [Section E.1](#), are normally associated with jumpers or switches, such as Slave Address, Bus Request Level and Mode, and Interrupt Request Level. They are software/firmware controllable on the ICP.

**Jumper Configuration Options:** These options are generally set by Simpack at the factory, either to a factory default or to customer requirements. They should not require field alteration, but should alteration be necessary, full configuration information is provided in [Section E.2 on page 119](#).

## E.1 Software Configuration Options

The programmable configuration capability of the ICP presents a number of opportunities not available in a jumper-configured or switch-configured board. To users accustomed to “hard” configured modules, the capability also presents some challenges.

One application which illustrates the power of software configuration is a system with multiple ICPs. A traditional “hard” configuration would require that each module be configured per a chart or table of addresses, and the possibility of mistakes, particularly in a field service situation, is very real.

Combining the programmable configuration capability of the ICP with a relatively simple power-up address assignment program would allow the system to automatically configure the ICPs in the system according to their relative positions in the card cage.

Such a program relies on the attributes of the VMEbus “IACK” daisy chain to determine the relative positions of each module. A simplified logical flow for an example auto assignment program is shown in [Table E-1](#). The program is designed to assign “sequence numbers” to an arbitrary number of ICPs based on their relative position in the card cage, the module physically nearest slot one being assigned “sequence one”. The program requires that the slot one module “know” that it is in slot one - all other modules run exactly the same program. The “—>” symbol indicates a direct causal relationship.

**Table E-1:** Automatic Programmable Configuration Process

Step	Slot 1 Module Activity	Relationship	Slots 2– <i>n</i> Module Activity
1	Complete power-up tests, interrupt priority high	N/A	All modules complete power-up tests, VSI disabled
2	Delay	N/A	Slot 2– <i>n</i> modules issue VMEbus interrupt
3	Lower priority to allow slot 2 module to interrupt	—>	Slot 2 module gets IACK, VSI enabled at temporary address
4	Write first sequence number to slot 2 module VSI at temporary address	—>	Slot 2 module changes address of VSI from temporary to final as determined by sequence number
5	Lower priority to allow slot <i>n</i> module to interrupt	—>	Slot <i>n</i> module gets IACK, VSI enabled at temporary address
6	Write <i>n</i> th sequence number to slot <i>n</i> module VSI at temporary address	—>	<i>n</i> th module changes address of VSI from temporary to final as determined by sequence number
7	Repeat steps 5 and 6 until no additional interrupt requests are pending	N/A	All modules are at their final addresses as determined by sequence number

## **E.2 Jumper Configuration Options**

The jumper configuration options are typically installed by Simpack at the factory to meet customer requirements. If necessary, you can use the information in the following sections to alter the original settings.

All jumper blocks on the system board are designed to mate with standard 2-pin jumper shunts. Spare jumper shunts can be stored by slipping one side of the jumper shunt on a single, unused pin of a jumper block and allowing the other side of the jumper shunt to hang in space.

### **E.2.1 Socket U7 Jumper Configuration**

The jumpers at locations K1, K2, K10, and K11 allow for variations in the pinout of PROM/ROM socket U7 as shown in [Table E-2 on page 120](#). Each jumper consists of a column of three adjacent pins. The text in bold indicates the factory configuration.

---

**Caution**

When inserting 28-pin or 32-pin devices into location U7, note the orientation of the chip. The bottom of the chip must be aligned with the bottom of the socket.

---

---

**Caution**

The device must have an access time of less than or equal to 200 nanoseconds.

---

**Table E-2:** U7 Jumper Settings

PROM/ROM Type	Jumper Settings <sup>a</sup>
32Kx8 28pin	K1-2 to K1-3 K2-2 to K2-3 K10-2 to K10-3 K11-2 to K11-3
<b>64Kx8 28pin</b>	<b>K1-2 to K1-3</b> <b>K2-1 to K2-2</b> <b>K10-2 to K10-3</b> <b>K11-2 to K11-3</b>
128Kx8 32pin	K1-2 to K1-3 K2-1 to K2-2 K10-2 to K10-3 K11-2 to K11-3
256Kx8 32pin	K1-1 to K1-2 K2-1 to K2-2 K10-2 to K10-3 K11-2 to K11-3
512Kx8 32pin	K1-1 to K1-2 K2-1 to K2-2 K10-1 to K10-2 K11-2 to K11-3
1024Kx8 32pin	K1-1 to K1-2 K2-1 to K2-2 K10-1 to K10-2 K11-1 to K11-2

<sup>a</sup> The text in bold indicates the factory configuration.

### **E.2.2 Socket U8 Jumper Configuration**

The jumpers at locations K5–K9 allow for variation in the pinout of socket U8 as shown in [Table E-3 on page 122](#). Each jumper consists of a column of three adjacent pins. EEPROMs used in this application must have write protection built in. The text in bold indicates the factory configuration.

---

**Caution**

When inserting 28-pin or 32-pin devices into location U8, note the orientation of the chip. The bottom of the chip must be aligned with the bottom of the socket.

---

---

**Caution**

The device must have an access time of less than or equal to 200 nanoseconds.

---

**Table E-3: U8 Jumper Settings**

PROM/ROM Type	Jumper Settings <sup>a</sup>	Example AMD Part Numbers
64Kx8 28pin	<b>K5-1 to K5-2</b>	AM27C512-150DC
	<b>K6-2 to K6-3</b>	AM27C512-120DC
	<b>K7-2 to K7-3</b>	
	<b>K8-2 to K8-3</b>	
	<b>K9-2 to K9-3</b>	
128Kx8 32pin	<b>K5-1 to K5-2</b>	AM27CD10-150DC
	<b>K6-2 to K6-3</b>	AM27CD10-120DC
	<b>K7-2 to K7-3</b>	
	<b>K8-2 to K8-3</b>	
	<b>K9-2 to K9-3</b>	
256Kx8 32pin	<b>K5-1 to K5-2</b>	AM27C020-150DC
	<b>K6-2 to K6-3</b>	AM27C020-120DC
	<b>K7-1 to K7-2</b>	
	<b>K8-2 to K8-3</b>	
	<b>K9-2 to K9-3</b>	
512Kx8 32pin	<b>K5-1 to K5-2</b>	AM27C040-150DC
	<b>K6-2 to K6-3</b>	AM27C040-120DC
	<b>K7-1 to K7-2</b>	
	<b>K8-1 to K8-2</b>	
	<b>K9-2 to K9-3</b>	
1024Kx8 32pin	<b>K5-1 to K5-2</b>	Non-AMD Parts
	<b>K6-2 to K6-3</b>	AT27C080-12PC
	<b>K7-1 to K7-2</b>	SGSM27C801-100
	<b>K8-1 to K8-2</b>	
	<b>K9-1 to K9-2</b>	
8Kx8 28pin EEPROM/SRAM	<b>K6-1 to K6-2</b> <b>K7-2 to K7-3</b>	
32Kx8 28pin EEPROM/SRAM	<b>K5-2 to K5-3</b> <b>K6-1 to K6-2</b> <b>K7-2 to K7-3</b>	

<sup>a</sup> The text in bold indicates the factory configuration.

### E.2.3 PROM/ROM/EEPROM/SRAM Socket Memory Map Options

The jumpers at locations K3 and K18 allow for setting the read/write permissions of devices inserted into sockets U7 and U8 according to [Table E-4](#). EEPROMs used in this application must have write protection built in. The text in bold indicates the factory configuration.

---

#### Caution

Before enabling this function, be sure that your installed software supports it. If it doesn't, unexpected local resets could occur.

---

**Table E-4:** U7 and U8 Jumper Settings

Option	Device Type	Jumper Settings <sup>a</sup>
1	<b>00000000-0001FFFF</b> Read-Only Memory Socket, U7	K3-1 to K3-2
	<b>00020000-0003FFFF</b> Read/Write Memory Socket, U8	K18 OPEN <sup>b</sup>
2	<b>00000000-0003FFFF</b> Read-Only Memory Socket, U7	K3-2 to K3-3
	<b>00040000-0007FFFF</b> Read/Write Memory Socket, U8	K18 OPEN <sup>b</sup>
3	<b>00000000-0007FFFF</b> Read-Only Memory Socket, U7	K18-1 to K18-2
	<b>00080000-000FFFFF</b> Read/Write Memory Socket, U8	K3 OPEN <sup>b</sup>
4	<b>00000000-000FFFFF</b> Read-Only Memory Socket, U7	K18-2 to K18-3
	<b>00100000-001FFFFF</b> Read/Write Memory Socket, U8	K3 OPEN <sup>b</sup>

<sup>a</sup> The text in bold indicates the factory configuration.

<sup>b</sup> Do not install jumpers on K3 and K18 at the same time.

## E.2.4 Interrupt Priority Setting

Jumper K15 selects between two available interrupt maps as shown in [Table E-5](#). The text in bold indicates the factory configuration. For further information, see [Table 5-2](#), the General Interrupt Map, on [page 45](#).

**Table E-5:** K15 Interrupt Jumper Settings

Option	Jumper Settings <sup>a</sup>
1	<b>K15-2 to K15-3</b>
2	K15-1 to K15-2

<sup>a</sup> The text in bold indicates the factory configuration.

## E.2.5 Front Panel Reset and Abort Input Enable Jumpers

Jumpers K12, K13, and K14 allows you to select the options shown in [Table E-6](#) for the front panel debug module/cable. The text in bold indicates the factory configuration.

**Table E-6:** Front Panel Reset and Abort Jumper Settings

Option	Jumper Settings <sup>a</sup>
<b>Reset Disabled</b>	<b>K12-2 to K12-3</b>
Reset Enabled	K12-1 to K12-2
<b>Abort NC (Normally Closed) Disabled</b>	<b>K13-1 to K13-2</b>
Abort NC (Normally Closed) Enabled	K13-2 to K13-3
<b>Abort NO (Normally Open) Disabled</b>	<b>K14-1 to K14-2</b>
Abort NO (Normally Open) Enabled	K14-2 to K14-3

<sup>a</sup> The text in bold indicates the factory configuration.

## E.2.6 Factory Configurations

Jumper headers K4, K16 and K17, shown in [Table E-7](#), are for Simpect use only and should not be altered by the user.

**Table E-7:** K4, K16, and K17 Jumper Settings

<b>Option</b>	<b>Jumper Settings <sup>a</sup></b>
<b>Factory Setting</b>	<b>K4-1 to K4-2</b>
Depends on SAM board used	K16 1 to 2: PCLK = 7.3728 MHz K16 2 to 3: PCLK = 14.7456 MHz
4 MB Baseboard	K17-2 to K17-3
8 MB Baseboard	K17-1 to K17-2

<sup>a</sup> The text in bold indicates the factory configuration.



---

# Index

## Numerics

68901 multi-function peripheral 66

## A

Abort input enable jumper 124

Antistatic precautions 23

Applications

communications protocols 20

data acquisition 21

device control 21

multiple lines 20

Architecture, internal 39

## B

Board select switches 64

Boot flags 34

Boot load procedure 69

## C

Calling indicator 101

Channel stop/start 53

Channel transmit/receive 53

Checksum, ROM 65

CI, see Calling indicator

Clear to send 91, 101, 110

Communications devices 48

register access 49

SCC interrupts 49

Communications protocols 20

Configuration

mailbox interrupts 56

Configuration options

jumper U19 46

jumper U8 47

jumpers 119

software 117

software-programmable 25

Connector pin assignments

EIA-232, 16-port 80

EIA-232, 8-port 94

EIA-449, 8-port 111

MIL-STD-188C, 8-port 94

V.35/Bell 306, 8-port 102

Console port 48

CS, see Clear to send

CTS, see Clear to send

Customer support 18

## D

Data acquisition 21

Data carrier detect 79, 91, 101

Data set ready 78, 91, 101

Data terminal ready 79, 93, 102

DCD, see Data carrier detect

Decoder

mailbox slave address 55

Device control 21

Device specifications 36

Diagnostic tests 65

DMA controller 67

Dynamic RAM 65

EEPROM 66

multi-function peripheral 66

ROM checksum 65

VMEbus slave interface 66

Differential interface 100

DMA controller 67

DMA controller ready 54

DMA controller, peripheral device 50

DMA receive interrupt 52  
DMA terminal count interrupts 51  
Document conventions 17  
Documents  
  reference 14  
Download message format 69  
Download procedure 70  
DRAM 65  
Driver supply voltages 88, 100  
DSR, see Data set ready  
DTR, see Data terminal ready  
Dynamic RAM 65

## E

EEPROM 66  
EEPROM chip select 62  
EEPROM data in line 62  
EEPROM data out line 63  
EEPROM memory map options 123  
EEPROM serial clock line 62  
EIA-232 (16-port) electrical interface 75  
EIA-232 (8-port) electrical interface 85  
EIA-449 (8-port) electrical interface 107  
Electrical interface  
  16-port EIA-232 75  
  8-port EIA-232 85  
  8-port EIA-449 107  
  8-port MIL-STD-188C 85  
  8-port V.35/Bell 306 97  
Environment 36

## F

Fault 62  
Fault indicator 60  
Flags, boot 34

## H

Hardware features 20  
Hardware overview 39  
Hardware specifications 35  
History of revisions 17

## I

Indicator  
  fault 60

I/O DMA 60  
  VME access 60  
Inspection 24  
Installation  
  VMEbus 27  
Interface driver waveshaping 88  
Interface receiver response control 91  
Interface, differential 100  
Interface, single-ended 100  
Interface, VMEbus master 57  
Internal architecture 39  
Interrupt priority setting 124  
Interrupter, VMEbus 56  
I/O DMA command register 52  
I/O DMA indicator 60

## J

Jumper configuration options 46, 47  
Jumpers  
  K1 119  
  K10 119  
  K11 119  
  K12 124  
  K13 124  
  K14 124  
  K15 124  
  K16 125  
  K17 125  
  K18 123  
  K2 119  
  K3 123  
  K4 125  
  K5 121  
  K6 121  
  K7 121  
  K8 121  
  K9 121  
  U19 46  
  U8 47

## L

Lines, multiple 20  
Local test 102  
LT, see Local test

**M**

Mailbox interrupts 56  
Mailbox slave address decoder 55  
Mailboxes, VMEbus 54  
Main memory 45  
MAR/TCR memory locations 51  
Memory map options 123  
Memory, main 45  
Memory, PROM 45  
Microprocessor 39  
MIL-STD-188C electrical interface 85  
Modem clocks 75, 85, 97, 107  
Modem control 78, 91, 100, 110  
Multi-function peripheral 66  
Multiple lines 20

**O**

Operating controls 60  
Overview  
    hardware 39

**P**

Peripheral device DMA controller 50  
Physical characteristics 35  
Polarity, transmit/receive 88  
Port select bits 53  
Power requirements 35  
Product support 18  
PROM 45  
PROM memory map options 123  
Protocol exchange region 69  
Purpose of the ICP6000 19

**R**

Receive clock inputs 75, 97, 107  
Receive interrupt 52  
Receiver ready 110  
Reference documents 14  
Register access 49  
Request to send 79, 93, 102, 111  
Reset jumper 124  
Response control, interface receiver 91  
Revision history 17  
ROM checksum 65  
ROM memory map options 123

RR, see Receiver ready  
RS, see Request to send  
RTS, see Request to send  
RxC inputs 85

**S**

Scanner range select 53  
SCC, see Serial communication controller  
Serial communication controller 78, 86, 98, 108  
    DMA 78, 88, 100, 110  
    interrupts 49  
    register access 78, 86, 98, 108  
    timebase 78, 88, 100, 110  
Serial EEPROM operation 60  
Single-ended interface 100  
Slave address decoder, VMEbus 54  
Slave interface, VMEbus 52  
Socket U7 119  
Socket U8 121  
Software reset 56  
Software reset, VMEbus 54  
Software-programmable configuration  
    options 25  
Specifications  
    device 36  
    environmental 35  
    hardware 35  
    mechanical 35  
SRAM memory map options 123  
Support, product 18  
Switches  
    board select 64  
SYSFAIL 62

**T**

Technical support 18  
Terminal ready 110  
Tests, diagnostic 65  
Timers 48  
TR, see Terminal ready  
Transmit clock inputs and outputs 75, 97, 107  
Transmit/receive polarity 88  
TxC inputs and outputs 85

## **U**

U19 pinout configuration [46](#)

U8 pinout configuration [47](#)

Unpacking [24](#)

## **V**

V.35/Bell 306 (8-port) electrical interface [97](#)

VME access indicator [60](#)

### VMEbus

interrupter [56](#)

mailboxes [54](#)

master interface [57](#)

slave address decoder [54](#)

slave interface [52, 66](#)

software reset [54](#)

VMEbus address bit 31 [59](#)

VMEbus address modifier codes [59](#)

VMEbus bus request level [58](#)

VMEbus data alignment [59](#)

VMEbus data size [59](#)

VMEbus installation [27](#)

VMEbus request mode select [58](#)

Voltages, driver supply [88, 100](#)

VSI, see VMEbus slave interface

## **W**

Waveshaping, interface driver [88](#)

## Customer Report Form

We are constantly improving our products. If you have suggestions or problems you would like to report regarding the hardware, software or documentation, please complete this form and mail it to Simpack at 9210 Sky Park Court, San Diego, CA 92123, or fax it to (858)560-2838.

If you are reporting errors in the documentation, please enter the section and page number.

Your Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone Number: \_\_\_\_\_

Product: \_\_\_\_\_

Problem or  
Suggestion: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Simpact, Inc.  
Customer Service  
9210 Sky Park Court  
San Diego, CA 92123